CANADIAN JOURNAL OF EARTH SCIENCES

JOURNAL CANADIEN DES SCIENCES DE LA TERRE

VOLUME 17, 1980

Author Index/Index des auteurs

Under each name are listed, in chronological order of publication, all articles in which an author has participated/ Chaque notice indique, dans l'ordre chronologique de publication, tous les articles auxquels l'auteur a participé

Alexander, E.C., Jr., see Hooke, R.LeB., 1174.
Alley, N.F. Holocene and latest Pleistocene cirque glaciations in the Shuswap Highland, British Columbia: Discussion, 797.
Allis, R.G., and Garland, G.D. Heat flow measurements under some lakes in the Superior Province of the Canadian Shield: Reply, 1110.
Anderson, T.W. Holocene vegetation and climatic history of Prince Edward Island, Canada, 1152.
Armstrong, R.L., see Berman, R.G., 985.
Auvray, B., Charlot, R., et Vidal, P. Données nouvelles sur le protérozoïque inférieur du domaine nord-armoricain (France): age et signification, 532.
Auzende, J.-M., see Sichler, B., 1546.
Ayres, L.D., see Hillary, E.M., 652.
Baadsgaard, H., and Lerbekmo, J.F. A Rb/Sr age for the Cretaceous–Tertiary boundary (Z coal), Hell Creek, Montana, 671.
Bailey, D.G., see Gower, C.F., 784.
Basu, A., see Gupta, A., 210.
Beaulieu, J., Lajoie, J., et Hubert, C. Provenance et modèle de dépôt de la Formation de la Rivière Nicolet: flysch taconique du Domaine autochtone et du Domaine externe des Appalaches du Québec, 855.
Beck, A.E. Heat flow measurements under some lakes in the Superior Province of the Canadian Shield: Discussion, 1108.
Beebe, B.F. Pleistocene peccary, *Platygonus compressus* Le Conte, from Yukon Territory, Canada, 1204.
Berger, G.W., and York, D. Reinterpretation of the North American apparent polar wander curve for the interval 800–1500 Ma, 1229.
Berman, R.G., and Armstrong, R.L. Geology of the Coquihalla Volcanic Complex, southwestern British Columbia, 985.
Bingham, D.K., see Evans, M.E., 1389.
Bisson, M., see Tessier, A., 90.
Bolton, T.E., see Nelson, S.J., 1431.
Bonifay, A., see Sichler, B., 1546.
Bonnin, J., see Sichler, B., 1546.
Borradaile, G.J., see Poulsen, K.H., 1358.
Bostock, H.H., see Currie, K.L., 804.
Bourque, P.-A., see Wright, A.J., 788.
Brisbin, W.C., and Green, A.G. Gravity model of the Aulneau batholith, northwestern Ontario, 968.
Brooks, C. Aphebian overprinting in the Superior Province east of James Bay, Quebec, 526.
Brooks, C. The Rb/Sr geochronology of the Archean Chibougamau pluton, Quebec, 776.
Brooks, C., see Verpaelst, P., 1.
Brown, R.L., and Psutka, J.F. Structural and stratigraphic setting of the Downie slide, Columbia River valley, British Columbia, 698.
Brownlow, A.H., see Uzuakpunwa, A.B., 1122.
Bujak, J.P., see Jansa, L.F., 547.
Bull, P.A., Culver, S.J., and Gardner, R. The nature of the Late Paleozoic glaciation in Gondwana as determined from an analysis of garnets and other heavy minerals: Discussion, 282.
Butler, D., Lyons, W.B., Hassinger, J., and Mayewski, P.A. Shallow core snow chemistry of Athabasca Glacier, Alberta, 278.
Callahan, J.E. Heavy minerals in stream sediments from Churchill Falls, Labrador—an aid in bedrock mapping, 244.
Camfield, P.A., see DeLaurier, J.M., 1642.
Campbell, P.G.C., see Tessier, A., 90.
Cant, D.J. Storm-dominated shallow marine sediments of the Arisaig Group (Silurian–Devonian) of Nova Scotia, 120.
Charlot, R., see Auvray, B., 532.

Chase, C.G., see Stout, J.H., 1527.
Cheung, S.-P., see Clark, G.S., 560.
Chidester, A.H., see Hatch, N.L., Jr., 542.
Christiansen, E.A. The Wisconsinan deglaciation of southern Saskatchewan and adjacent areas: Reply, 541.
Church, W.R., see McCaig, A.M., 1119.
Clark, G.S., and Cheung, S.-P. Rubidium–strontium ages from the Oxford Lake – Knee Lake greenstone belt, northern Manitoba, 560.
Clark, K.R., see Schwarz, E.J., 389.
Clark, T. Petrology of the Turnagain ultramafic complex, northwestern British Columbia, 744.
Clarke, D.B., see Wark, J.M., 1740.
Clayton, L., see Teller, J.T., 539.
Cocks, L.R.M., see McKerrow, W.S., 1599.
Coles, R.L., see Langel, R.A., 876.
Cowell, D.W., and Ford, D.C. Hydrochemistry of a dolomite karst: the Bruce Peninsula of Ontario, 520.
Creaney, S., see Pearson, D.E., 36.
Cruden, D., see Kelker, D., 1113.
Cruden, D.M., see Simmons, J.V., 1300.
Culver, S.J., see Bull, P.A., 282.
Cumming, G.L. Lead isochron dating of the Seton Formation East Arm of Great Slave Lake, Northwest Territories, 1591.
Cumming, G.L., see Green, A.G., 617.
Currie, K.L. A modified norm calculation, 1342.
Currie, K.L., and Bostock, H.H. The age of the Roberts Arm Group, north-central Newfoundland: Reply, 804.
Currie, P.J. A new younginid (Reptilia: Eosuchia) from the Upper Permian of Madagascar, 500.
Currie, R.G., see Riddihough, R.P., 577.
Davies, J.F., and Whitehead, R.E.S. Further immobile element data from altered volcanic rocks, Timmins mining area, Ontario, 419.
Dean, P.L., and Kean, B.F. The age of the Roberts Arm Group, north-central Newfoundland: Discussion, 800.
Debrenne, F., see James, N.P., 1609.
DeLaurier, J.M., Niblett, E.R., Plet, F., and Camfield, P.A. Geomagnetic depth sounding over the central Arctic Islands, Canada, 1642.
de Wit, M.J. Structural and metamorphic relationships of pre-Fleur de Lys and Fleur de Lys rocks of the Baie Verte Peninsula, Newfoundland, 1559.
Dodds, D.J., see Parrott, D.R., 722.
Donaldson, J.A., see Horodyski, R.J., 1166.
Dragert, H., Law, L.K., and Sule, P.O. Magnetotelluric soundings across the Pemberton Volcanic Belt, British Columbia, 161.
Dreimanis, A., see May, R.W., 1064.
Drury, M.J., and Niblett, E.R. Buried ocean crust and continental crust geomagnetic induction anomalies: a possible association, 961.
DuBow, J., see Rajeshwar, K., 1315.
Duford, J.M., and Osborn, G.D. Holocene and latest Pleistocene cirque glaciations in the Shuswap Highland, British Columbia: Reply, 799.
Dumanski, J., Pawluk, S., Vucetich, C.G., and Lindsay, J.D. Pedogenesis and tephrochronology of loess derived soils, Hinton, Alberta, 52.
Dunlop, D.J., and Zinn, M.B. Archeomagnetism of a 19th century pottery kiln near Jordan, Ontario, 1275.
Duplessy, J.C., see Fillon, R.H., 831.
Durham, R.W., and Joshi, S.R. The ^{210}Pb and ^{137}Cs profiles in sediment cores from Lakes Matagami and Quevillon, northwest Quebec, Canada, 1746.
Elias, R.J. Borings in solitary rugose corals of the Selkirk Member, Red River Formation (late Middle or Upper Ordovician), southern Manitoba, 272.
Evans, M.E., Hoye, G.S., and Bingham, D.K. The paleomagnetism of the Great Slave Supergroup: the Akaitcho River Formation, 1389.
Fenton, M.M., see Teller, J.T., 19.
Fillon, R.H., and Duplessy, J.C. Labrador Sea bio-, tephro-, oxygen isotopic stratigraphy and Late Quaternary paleoceanographic trends, 831.
Fitzgerald, G.R. Pleistocene loons of the Old Crow Basin, Yukon Territory, Canada, 1593.
Fitzgerald, R.A., see Willey, J.D., 254.
Fletcher, T.P., see Landing, E., 400.
Ford, D.C., see Cowell, D.W., 520.
Forsyth, D.A., see Lyons, J.A., 478.
Fortey, R.A., and Skevington, D. Correlation of Cambrian–Ordovician boundary between Europe and North America: new data from western Newfoundland, 382.
Fournier, J.A., Pemberton, S.G., and Risk, M.J. *Polycylindrichnus*: possible Silurian tunicate burrows from southern Ontario, 738.

Fox, R.C. Mammals from the Upper Cretaceous Oldman Formation, Alberta. IV. *Meniscoessus* Cope (Multituberculata), 1480.

Fox, R.C. *Picopsis pattersoni*, n. gen. and sp., an unusual therian from the Upper Cretaceous of Alberta, and the classification of primitive tribosphenic mammals, 1489.

Francis, D.M., see Stamatelopoulou-Seymour, K., 1576.

Franconi, A., see Verpaelst, P., 1.

Franklin, J.M., McIlwaine, W.H., Poulsen, K.H., and Wanless, R.K. Stratigraphy and depositional setting of the Sibley Group, Thunder Bay district, Ontario, Canada, 633.

French, H.M., see Hayward, M., 1236.

Fryer, B.J., see Jenner, G.A., 888.

Fryer, B.J., see Taylor, R.P., 901.

Fyson, W.K. Fold fabrics and emplacement of an Archean granitoid pluton, Cleft Lake, Northwest Territories, 325.

Gadd, N.R. Late-glacial regional ice-flow patterns in eastern Ontario, 1439.

Gardner, K.L. Impregnation technique using colored epoxy to define porosity in petrographic thin sections, 1104.

Gardner, R., see Bull, P.A., 282.

Garland, G.D., see Allis, R.G., 1110.

Gendzwill, D.J., see Koster, E.H., 1725.

Ghosh, P.K., see Gupta, A., 210.

Gibb, R.A., and Thomas, M.D. Correlation of gravity anomalies with Yellowknife Supergroup rocks, North Arm, Great Slave Lake, 1506.

Gonzalez-Bonorino, G. The dynamothermal aureole of the Bay of Islands ophiolite suite: Discussion, 1436.

Goodacre, A.K., and Hasegawa, H.S. Gravitationally induced stresses at structural boundaries, 1286.

Goodwin, A.M., see Wooden, J.L., 569.

Gower, C.F., Ryan, A.B., Bailey, D.G., and Thomas, A. The position of the Grenville Front in eastern and central Labrador, 784.

Gravenor, C.P. Chattermarked garnets and heavy minerals from the Late Paleozoic glacial deposits of southeastern Brazil, 156.

Gravenor, C.P. The nature of the Late Paleozoic glaciation in Gondwana as determined from an analysis of garnets and other heavy minerals: Reply, 284.

Gravenor, C.P. The nature of the Late Paleozoic glaciation in Gondwana as determined from an analysis of garnets and other heavy minerals: Reply, 958.

Gravenor, C.P. Heavy minerals and sedimentological studies on the glaciogenic Late Precambrian Gaskiers Formation of Newfoundland, 1331.

Green, A.G. Delineation of geologic contacts by seismic refraction with application to the fault zone between the Thompson nickel belt and the Churchill Tectonic Province, 1141.

Green, A.G., see Brisbin, W.C., 968.

Green, A.G., Stephenson, O.G., Mann, G.D., Kanasewich, E.R., Cumming, G.L., Hajnal, Z., Mair, J.A., and West, G.F. Cooperative seismic surveys across the Superior–Churchill boundary zone in southern Canada, 617.

Gupta, A., Basu, A., and Ghosh, P.K. The Proterozoic ultramafic and mafic lavas and tuffs of the Dalma greenstone belt, Singhbhum, eastern India, 210.

Gustafson, R.J., see Hooke, R.LeB., 1174.

Hackbarth, D.A. The effects of surface mining of coal on water quality near Grande Cache, Alberta: Reply, 955.

Hajnal, Z., see Green, A.G., 617.

Hall, J.M., see Rice, P.D., 232.

Harakal, J.E., see Sinclair, A.J., 1100.

Harington, C.R. Pleistocene mammals from Lost Chicken Creek, Alaska, 168.

Hasegawa, H.S., see Goodacre, A.K., 1286.

Hassinger, J., see Butler, D., 278.

Hatch, N.L., Jr., Osberg, P.H., Norton, S.A., Stanley, R.S., and Chidester, A.H. The structural and metamorphic history of the Taconic unconformity in western Massachusetts: Discussion, 542.

Hayatsu, A., see Hodych, J.P., 491.

Hayes, B.J.R. A cluster analysis interpretation of Middle Ordovician biofacies, southern Mackenzie Mountains, 1377.

Hayward, M., and French, H.M. Pleistocene marine kettle-fill deposits near Ottawa, Canada, 1236.

Higgins, N.C. Fluid inclusion evidence for the transport of tungsten by carbonate complexes in hydrothermal solutions, 823.

Hillary, E.M., and Ayres, L.D. Trondhjemitic basement enclave near the Archean Favourable Lake volcanic complex, northwestern Ontario, Canada, 652.

Hodych, J.P., and Hayatsu, A. K–Ar isochron age and paleomagnetism of diabase along the trans-Avalon aeromagnetic lineament—evidence of Late Triassic rifting in Newfoundland, 491.

Hodych, J.P., see Papezik, V.S., 1417.

Hofmann, H.J., Pearson, D.A.B., and Wilson, B.H. Stromatolites and fenestral fabric in Early Proterozoic Huronian Supergroup, Ontario, 1351.

Hooke, R.LeB., Alexander, E.C., Jr., and Gustafson, R.J. Temperature profiles in the Barnes Ice Cap, Baffin Island, Canada, and heat flux from the subglacial terrane, 1174.

Horodyski, R.J., Donaldson, J.A., and Kerans, C. A new shale-facies microbiota from the Middle Proterozoic Dismal Lakes Group, District of Mackenzie, Northwest Territories, Canada, 1166.
Howie, R.A., Simpson, I.M., and Simpson, G.S. The nature of the Late Paleozoic glaciation in Gondwana as determined from an analysis of garnets and other heavy minerals: Discussion, 957.
Hoye, G.S., see Evans, M.E., 1389.
Hubert, C., see Beaulieu, J., 855.
Hudson, T., see Plafker, G., 681.
Huntley, D.J., see Wintle, A.G., 348.
Hutcheson, H.I., see Symons, D.T.A., 690.
Hyndman, R.D., see Riddihough, R.P., 577.
Irving, E., see Yole, R.W., 1210.
Jackson, L.E., Jr. Glacial history and stratigraphy of the Alberta portion of the Kananaskis Lakes map area, 459.
Jacobs, J.A., see Schloessin, H.H., 72.
James, N.P., and Debrenne, F. First regular archaeocyaths from the northern Appalachians, Forteau Formation, western Newfoundland, 1609.
James, N.P., see Klappa, C.F., 1007.
Jansa, L.F., Bujak, J.P., and Williams, G.L. Upper Triassic salt deposits of the western North Atlantic, 547.
Jenner, G.A., and Fryer, B.J. Geochemistry of the upper Snooks Arm Group basalts, Burlington Peninsula, Newfoundland: evidence against formation in an island arc, 888.
Jessop, A.M., see Wright, J.A., 1370.
Johnston, P.A. First record of Mesozoic mammals from Saskatchewan, 512.
Jonquet, H., see Sichler, B., 1546.
Joshi, S.R., see Durham, R.W., 1746.
Judge, A.S., see Wright, J.A., 1370.
Kanasewich, E.R., see Green, A.G., 617.
Karrow, P.F. The Nipissing transgression around southern Lake Huron, 1271.
Kean, B.F., see Dean, P.L., 800.
Kean, B.F., see Taylor, R.P., 425.
Kehlenbeck, M.M., see Poulsen, K.H., 1358.
Kelker, D., and Cruden, D. Simple graphical methods for estimating the confidence region about the orientation of the intersection of two planes: Reply, 1113.
Kent, D.V., and Opdyke, N.D. Paleomagnetism of Siluro-Devonian rocks from eastern Maine, 1653.
Kerans, C., see Horodyski, R.J., 1166.
King, L.H., see Parrott, D.R., 722.
Kish, L., see Szöghy, I.M., 1116.
Klappa, C.F., Opalinski, P.R., and James, N.P. Middle Ordovician Table Head Group of western Newfoundland: a revised stratigraphy, 1007.
Kobluk, D.R. Upper Ordovician (Richmondian) cavity-dwelling (coelobiontic) organisms from southern Ontario, 1616.
Koster, E.H., Rust, B.R., and Gendzwill, D.J. The ellipsoidal form of clasts with practical applications to fabric and size analyses of fluvial gravels, 1725.
Kranck, K. Experiments on the significance of flocculation in the settling of fine-grained sediment in still water, 1517.
Lajoie, J., see Beaulieu, J., 855.
Lambiase, J.J. Sediment dynamics in the macrotidal Avon River estuary, Bay of Fundy, Nova Scotia, 1628.
Lancelot, J.R., see Leblanc, M., 142.
Landing, E., Nowlan, G.S., and Fletcher, T.P. A microfauna associated with Early Cambrian trilobites of the *Callavia* Zone, northern Antigonish Highlands, Nova Scotia, 400.
Langel, R.A., Coles, R.L., and Mayhew, M.A. Comparisons of magnetic anomalies of lithospheric origin measured by satellite and airborne magnetometers over western Canada, 876.
Law, L.K., see Dragert, H., 161.
Lebel, J., see Pelletier, E., 978.
Leblanc, M., and Lancelot, J.R. Interprétation géodynamique du domaine pan-africain (Précambrien terminal) de l'Anti-Atlas (Maroc) à partir de données géologiques et géochronologiques, 142.
Legget, R.F. Glacial geology of Grand Manan Island, New Brunswick, 440.
Lenz, A.C. Wenlockian graptolite reference section, Clearwater Creek, Nahanni National Park, Northwest Territories, Canada, 1075.
Lerbekmo, J.F., see Baadsgaard, H., 671.
Lesquer, A., et Moussine-Pouchkine, A. Les anomalies gravimétriques de la boucle du Niger. Leur signification dans le cadre de l'orogenèse panafricaine, 1538.
Lewis, T.J. Determination of radioactive disequilibrium in uranium-bearing rocks: Discussion, 1114.
Lewis, T.J., see Wright, J.A., 1370.
Lindsay, J.D., see Dumanski, J., 52.

Long, D.G.F., see Sobczak, L.W., 43.
Longstaffe, F.J., McNutt, R.H., and Schwarcz, H.P. Geochemistry of Archean meta-igneous rocks, Lake Despair area, Wabigoon Subprovince, northwestern Ontario, 1046.
Longstaffe, F.J., Smith, T.E., and Muehlenbachs, K. Oxygen isotope evidence for the genesis of Upper Paleozoic granitoids from southwestern Nova Scotia, 132.
Lonker, S. Conditions of metamorphism in high-grade pelitic gneisses from the Frontenac Axis, Ontario, Canada, 1666.
Lyons, J.A., Forsyth, D.A., and Mair, J.A. Crustal studies in the La Malbaie Region, Quebec, 478.
Lyons, W.B., see Butler, D., 278.
Mackay, J.R. The origin of hummocks, western Arctic coast, Canada, 996.
Mair, J.A., see Green, A.G., 617.
Mair, J.A., see Lyons, J.A., 478.
Mann, G.D., see Green, A.G., 617.
Mareschal, J.-C., and West, G.F. A model for Archean tectonism. Part 2. Numerical models of vertical tectonism in greenstone belts, 60.
Margrave, G.F., and Nyland, E. Strain from repeated geodetic surveys by generalized inverse methods, 1020.
Martin, D.L., see Ressetar, R., 1583.
Martin, F. Quelques Chitinozoaires et Acritarches ordoviciens supérieurs de la Formation de White Head en Gaspésie, Québec, 106.
Martin, H. Comportement de quelques elements en traces au cours de l'anatexie: exemple du Massif de Saint-Malo (Bretagne, France), 927.
Mathewes, R.W., and Westgate, J.A. Bridge River tephra: revised distribution and significance for detecting old carbon errors in radiocarbon dates of limnic sediments in southern British Columbia, 1454.
Matthews, H.L., see Terasmae, J., 1087.
May, R.W., Dreimanis, A., and Stankowski, W. Quantitative evaluation of clast fabrics within the Catfish Creek Till, Bradtville, Ontario, 1064.
Mayewski, P.A., see Butler, D., 278.
Mayhew, M.A., see Langel, R.A., 876.
McCaig, A.M., and Church, W.R. The dynamothermal aureole of the Bay of Islands ophiolite suite: Discussion, 1119.
McCann, S.B., see Tucker, C.M., 1462.
McFadden, P.L. Simple graphical methods for estimating the confidence region about the orientation of the intersection of two planes: Discussion, 1111.
McGugan, A., and Strimple, H.L. *Pelecocrinus* sp. cf. *P. banffensis* Laudon, Parks, and Spreng, from the Banff Formation (Lower Mississippian), Kananaskis Valley, Alberta, Canada, 1588.
McIlwaine, W.H., see Franklin, J.M., 633.
McKerrow, W.S., and Cocks, L.R.M. Conodonts from the Davidsville Group, northeastern Newfoundland: Discussion, 1599.
McNutt, R.H., see Longstaffe, F.J., 1046.
Moore, J.M., Jr., and Thompson, P.H. The Flinton Group: a late Precambrian metasedimentary succession in the Grenville Province of eastern Ontario, 1685.
Moran, S.R., see Teller, J.T., 539.
Moussine-Pouchkine, A., see Lesquer, A., 1538.
Mudie, P.J., see Schafer, C.T., 313.
Muehlenbachs, K., see Longstaffe, F.J., 132.
Muller, J.E. Chemistry and origin of the Eocene Metchosin Volcanics, Vancouver Island, British Columbia, 199.
Muller, J.E., see Schwarz, E.J., 389.
Nelson, S.J. Possible Early Paleozoic coral, Intermontane Belt, south-central British Columbia, 266.
Nelson, S.J., and Bolton, T.E. *Macgowanella* gen. nov., possible bryozoan holdfasts, Mississippian of southern Canadian Rocky Mountains, Alberta, 1431.
Niblett, E.R., see DeLaurier, J.M., 1642.
Niblett, E.R., see Drury, M.J., 961.
Norton, S.A., see Hatch, N.L., Jr., 542.
Nowlan, G.S., see Landing, E., 400.
Nunes, P.D., and Thurston, P.C. Two hundred and twenty million years of Archean evolution: a zircon U–Pb age stratigraphic study of the Uchi–Confederation Lakes greenstone belt, northwestern Ontario, 710.
Nyland, E., see Margrave, G.F., 1020.
Olivet, J.-L., see Sichler, B., 1546.
Olszewski, W.J., Jr. The geochronology of some stratified metamorphic rocks in northeastern Massachusetts, 1407.
Opalinski, P.R., see Klappa, C.F., 1007.
Opdyke, N.D., see Kent, D.V., 1653.
Opdyke, N.D., see Rice, P.D., 232.
Osberg, P.H., see Hatch, N.L., Jr., 542.
Osborn, G.D., see Duford, J.M., 799.

Papezik, V.S., and Hodych, J.P. Early Mesozoic diabase dikes of the Avalon Peninsula, Newfoundland: Petrochemistry, mineralogy, and origin, 1417.
Parrott, D.R., Dodds, D.J., King, L.H., and Simpkin, P.G. Measurement and evaluation of the acoustic reflectivity of the sea floor, 722.
Pawluk, S., see Dumanski, J., 52.
Pawluk, S., see Sanborn, P., 1323.
Pearson, D.A.B., see Hofmann, H.J., 1351.
Pearson, D.E., and Creaney, S. Spontaneous carbonization of oxidized high-volatile coal by a lightning strike, 36.
Pedder, A.E.H. Devonian corals of late Eifelian age from the Ogilvie Formation of Yukon Territory, 594.
Pelletier, E., et Lebel, J. L'alcalinité totale comme indicateur de mélange dans un milieu estuarien, 978.
Pemberton, S.G., see Fournier, J.A., 738.
Pickerill, R.K. Phanerozoic flysch trace fossil diversity—observations based on an Ordovician flysch ichnofauna from the Aroostook – Matapedia Carbonate Belt of northern New Brunswick, 1259.
Plafker, G., and Hudson, T. Regional implications of Upper Triassic metavolcanic and metasedimentary rocks on the Chilkat Peninsula, southeastern Alaska, 681.
Plet, F., see DeLaurier, J.M., 1642.
Plint-Geberl, H.A., see von Bitter, P.H., 1096.
Poulsen, K.H., Borradaile, G.J., and Kehlenbeck, M.M. An inverted Archean succession at Rainy Lake, Ontario, 1358.
Poulsen, K.H., see Franklin, J.M., 633.
Poulton, T.P., and Simony, P.S. Stratigraphy, sedimentology, and regional correlation of the Horsethief Creek Group (Hadrynian, Late Precambrian) in the northern Purcell and Selkirk Mountains, British Columbia, 1708.
Psutka, J.F., see Brown, R.L., 698.
Putnam, P.E., see Smith, D.G., 1396.
Rajeshwar, K., DuBow, J., and Thapar, R. Radio-frequency electrical properties of Green River oil shales, 1315.
Ranalli, G. Rheological properties of the upper mantle in Canada from olivine microrheology, 1499.
Ray, G.E., and Wanless, R.K. The age and geological history of the Wollaston, Peter Lake, and Rottenstone domains in northern Saskatchewan, 333.
Ressetar, R., and Martin, D.L. Paleomagnetism of Eocene igneous intrusions in the Valley and Ridge Province, Virginia and West Virginia, 1583.
Rice, P.D., Hall, J.M., and Opdyke, N.D. Deep Drill 1972: a paleomagnetic study of the Bermuda Seamount, 232.
Riddihough, R.P., Currie, R.G., and Hyndman, R.D. The Dellwood knolls and their role in triple junction tectonics off northern Vancouver Island, 577.
Risk, M.J., see Fournier, J.A., 738.
Rivers, T. Revised stratigraphic nomenclature for Aphebian and other rock units, southern Labrador Trough, Grenville Province, 668.
Rust, B.R., see Koster, E.H., 1725.
Ryan, A.B., see Gower, C.F., 784.
St-Onge, D.A. The Wisconsinan deglaciation of southern Saskatchewan and adjacent areas: Discussion, 287.
St-Onge, D.A. Glacial Lake Coppermine, north-central District of Mackenzie, Northwest Territories, 1310.
Sanborn, P., and Pawluk, S. An early Holocene Solodic paleosol near Priddis, Alberta, 1323.
Schafer, C.T., and Mudie, P.J. Spatial variability of foraminifera and pollen in two nearshore sediment sites, St. Georges Bay, Nova Scotia, 313.
Schloessin, H.H., and Jacobs, J.A. Dynamics of a fluid core with inward growing boundaries, 72.
Schmidt, P.W. Paleomagnetism of igneous rocks from the Belcher Islands, Northwest Territories, Canada, 807.
Schwarcz, H.P., see Longstaffe, F.J., 1046.
Schwarz, E.J., Muller, J.E., and Clark, K.R. Paleomagnetism of the Karmutsen basalts from southeast Vancouver Island, 389.
Sichler, B., Olivet, J.-L., Auzende, J.-M., Jonquet, H., Bonnin, J., and Bonifay, A. Mobility of Morocco, 1546.
Simmons, J.V., and Cruden, D.M. A rock labyrinth in the Front Ranges of the Rockies, Alberta, 1300.
Simony, P.S., see Poulton, T.P., 1708.
Simpkin, P.G., see Parrott, D.R., 722.
Simpson, G.S., see Howie, R.A., 957.
Simpson, I.M., see Howie, R.A., 957.
Sinclair, A.J., Tessari, O.J., and Harakal, J.E. Age of Ag-Pb-Zn mineralization, Keno Hill – Galena Hill area, Yukon Territory, 1100.
Skevington, D., see Fortey, R.A., 382.
Smith, D.G., and Putnam, P.E. Anastomosed river deposits: modern and ancient examples in Alberta, Canada, 1396.
Smith, I.E.M. Geochemical evolution in the Blake River Group, Abitibi Greenstone Belt, Superior Province, 1292.
Smith, P.L. Correlation of the members of the Jurassic Snowshoe Formation in the Izee basin of east-central Oregon, 1603.
Smith, T.E., see Longstaffe, F.J., 132.
Sobczak, L.W., and Long, D.G.F. Preliminary analysis of a gravity profile across the Bonnet Plume Basin, Yukon Territory, Canada: an aid to coal basin evaluation, 43.

Stamatelopoulou-Seymour, K., and Francis, D.M. An Archean ultramafic turbidite from Lac Guyer, James Bay area, Quebec, Canada, 1576.
Stankowski, W., see May, R.W., 1064.
Stanley, R.S., see Hatch, N.L., Jr., 542.
Stephenson, O.G., see Green, A.G., 617.
Stewart, W.D., and Walker, R.G. Eolian coastal dune deposits and surrounding marine sandstones Rocky Mountain Supergroup (Lower Pennsylvanian), southeastern British Columbia, 1125.
Stouge, S. Conodonts from the Davidsville Group, northeastern Newfoundland, 268.
Stouge, S. Conodonts from the Davidsville Group, northeastern Newfoundland: Reply, 1600.
Stout, J.H., and Chase, C.G. Plate kinematics of the Denali fault system, 1527.
Strimple, H.L., see McGugan, A., 1588.
Strong, D.F., see Taylor, R.P., 425.
Stupavsky, M., see Symons, D.T.A., 690.
Sule, P.O., see Dragert, H., 161.
Symons, D.T.A., Hutcheson, H.I., and Stupavsky, M. Positive test of the paleomagnetic method for estimating burial depth using a dike contact, 690.
Szabo, J.P. Two pollen diagrams from Quaternary deposits in east-central Iowa, U.S.A., 453.
Szöghy, I.M., and Kish, L. Determination of radioactive disequilibrium in uranium-bearing rocks: Reply, 1116.
Taylor, R.P., and Fryer, B.J. Multiple-stage hydrothermal alteration in porphyry copper systems in northern Turkey: the temporal interplay of potassic, propylitic, and phyllic fluids, 901.
Taylor, R.P., Strong, D.F., and Kean, B.F. The Topsails igneous complex: Silurian–Devonian peralkaline magmatism in western Newfoundland, 425.
Teller, J.T., and Fenton, M.M. Late Wisconsinan glacial stratigraphy and history of southeastern Manitoba, 19.
Teller, J.T., Moran, S.R., and Clayton, L. The Wisconsinan deglaciation of southern Saskatchewan and adjacent areas: Discussion, 539.
Tempelman-Kluit, D. Evolution of physiography and drainage in southern Yukon, 1189.
Tempelman-Kluit, D., and Wanless, R.K. Zircon ages for the Pelly Gneiss and Klotassin granodiorite in western Yukon, 297.
Terasmae, J. Some problems of late Wisconsin history and geochronology in southeastern Ontario, 361.
Terasmae, J., and Matthews, H.L. Late Wisconsin white spruce (*Picea glauca* (Moench) Voss) at Brampton, Ontario, 1087.
Tessari, O.J., see Sinclair, A.J., 1100.
Tessier, A., Campbell, P.G.C., and Bisson, M. Trace metal speciation in the Yamaska and St. François Rivers (Quebec), 90.
Thapar, R., see Rajeshwar, K., 1315.
Thomas, A., see Gower, C.F., 784.
Thomas, M.D., see Gibb, R.A., 1506.
Thompson, P.H., see Moore, J.M., Jr., 1685.
Thurston, P.C., see Nunes, P.D., 710.
Tucker, C.M., and McCann, S.B. Quaternary events on the Burin Peninsula, Newfoundland, and the islands of St. Pierre and Miquelon, France, 1462.
Urquhart, W.E.S., and West, G.F. Errata: Aeromagnetic anomaly pattern in the English River gneiss belt, Superior Province, 796.
Utting, J. Palynology of the Windsor Group (Mississippian) in a borehole at Stewiacke, Shubenacadie Basin, Nova Scotia, 1031.
Uzuakpunwa, A.B., and Brownlow, A.H. The structural and metamorphic history of the Taconic unconformity in western Massachusetts: Reply, 1122.
Verpaelst, P., Brooks, C., and Franconi, A. The 2.5 Ga Duxbury massif, Quebec: a remobilized piece of pre-3.0 Ga sialic basement(?), 1.
Vidal, P., see Auvray, B., 532.
von Bitter, P.H., and Plint-Geberl, H.A. Phillipsite altered to analcime in basal Windsor [shallow-water marine] carbonates of Mississippian age in Nova Scotia, 1096.
Vonhof, J.A., see Weyer, K.U., 952.
Vucetich, C.G., see Dumanski, J., 52.
Waddington, J.B. A soft substrate community with edrioasteroids, from the Verulam Formation (Middle Ordovician) at Gamebridge, Ontario, 674.
Walker, R.G., see Stewart, W.D., 1125.
Wanless, R.K., see Franklin, J.M., 633.
Wanless, R.K., see Ray, G.E., 333.
Wanless, R.K., see Tempelman-Kluit, D., 297.
Wark, J.M., and Clarke, D.B. Geochemical discriminators and the palaeotectonic environment of the North Mountain basalts, Nova Scotia, 1740.
Watson, J. The origin and history of the Kapuskasing structural zone, Ontario, Canada, 866.
Welsted, J., and Young, H.R. Geology and origin of the Brandon Hills, southwest Manitoba, 942.
West G, .F., see Green, A.G., 617.
West, G.F., see Mareschal, J.-C., 60.

West, G.F., see Urquhart, W.E.S., 796.
Westgate, J.A. Pedogenesis and tephrochronology of loess derived soils, Hinton, Alberta: Discussion, 1122.
Westgate, J.A., see Mathewes, R.W., 1454.
Weyer, K.U., and Vonhof, J.A. The effects of surface mining of coal on water quality near Grande Cache, Alberta: Discussion, 952.
Whalen, J.B. Geology and geochemistry of the molybdenite showings of the Ackley City batholith, southeast Newfoundland, 1246.
Whitehead, R.E.S., see Davies, J.F., 419.
Willey, J.D., and Fitzgerald, R.A. Trace metal geochemistry in sediments from the Miramichi estuary, New Brunswick, 254.
Williams, G.L., see Jansa, L.F., 547.
Wilson, B.H., see Hofmann, H.J., 1351.
Wilson, M.V.H. Oldest known *Esox* (Pisces: Esocidae), part of a new Paleocene teleost fauna from western Canada, 307.
Winkler, E.M. Selective weathering of granitic clasts: Discussion, 956.
Wintle, A.G., and Huntley, D.J. Thermoluminescence dating of ocean sediments, 348.
Wooden, J.L., and Goodwin, A.M. A Rb–Sr isotopic study of the Archean rocks of the eastern Lac Seul region, English River subprovince, northwestern Ontario, 569.
Wright, A.J., and Bourque, P.-A. Halysitid corals from Silurian and Devonian rocks of Québec, 788.
Wright, J.A., Jessop, A.M., Judge, A.S., and Lewis, T.J. Geothermal measurements in Newfoundland, 1370.
Yole, R.W., and Irving, E. Displacement of Vancouver Island: paleomagnetic evidence from the Karmutsen Formation, 1210.
Yorath, C.J. The Apollo structure in Tofino Basin, Canadian Pacific continental shelf, 758.
York, D., see Berger, G.W., 1229.
Young, H.R., see Welsted, J., 942.
Zhuo-ting, L. Brachiopod assemblages from the Upper Permian and Permian–Triassic boundary beds, South China, 289.
Zinn, M.B., see Dunlop, D.J., 1275.

CANADIAN JOURNAL OF EARTH SCIENCES

JOURNAL CANADIEN DES SCIENCES DE LA TERRE

VOLUME 17, 1980

Subject Index / Index des matières[1]

absolute age *see also* geochronology; isotopes
absolute age—applications
paleomagnetism: Reinterpretation of the North American apparent polar wander curve for the interval 800-1500 Ma
(Berger, G. W., *et al.*) 9: 1229-1235
sedimentation: The ^{210}Pb and ^{137}Cs profiles in sediment cores from lakes Matagami and Quevillon, Northwest Quebec, Canada
(Durham, R. W., *et al.*) 12: 1746-1750
absolute age—dates
biotite: A Rb/Sr age for the Cretaceous-Tertiary boundary (Z Coal), Hell Creek, Montana
(Baadsgaard, H., *et al.*) 5: 671-673
bones: Pleistocene mammals from Lost Chicken Creek, Alaska
(Harington, C. R.) 2: 168-198
diabase: K-Ar isochron age and paleomagnetism of diabase along the Trans-Avalon aeromagnetic lineament; evidence of Late Triassic rifting in Newfoundland
(Hodych, J. P., *et al.*) 4: 491-499
gneiss: The 2.5 Ga Duxbury Massif, Quebec; a remobilized piece of pre-3.0 Ga sialic basement(?)
(Verpaelst, P., *et al.*) 1: 1-18
gyttja: Late Wisconsin white spruce (Picea glauca (Moench) Voss) at Brampton, Ontario
(Terasmae, J., *et al.*) 8: 1087-1095
igneous rocks: Geodynamic interpretation of the Pan-African domain (late Precambrian) of the Anti-Atlas (Morocco), from geologic and geochronologic studies
(Leblanc, M., *et al.*) 1: 142-155
— Geology of the Coquihalla volcanic complex, southwestern British Columbia
(Berman, R. G., *et al.*) 8: 985-995
— The age of the Roberts Arm Group, North-central Newfoundland; discussion and reply
(Dean, P. L., *et al.*) 6: 800-806
metamorphic rocks: Aphebian overprinting in the Superior Province east of James Bay, Quebec
(Brooks, C.) 4: 526-532
— The geochronology of some stratified metamorphic rocks in northeastern Massachusetts
(Olszewski, W. J., Jr.) 10: 1407-1416
metaplutonic rocks: A Rb-Sr isotopic study of the Archean rocks of the eastern Lac Seul region, English River Subprovince, northwestern Ontario
(Wooden, J. L., *et al.*) 5: 569-576
— Rubidium-strontium ages from the Oxford Lake-Knee Lake greenstone belt, northern Manitoba
(Clark, G. S., *et al.*) 5: 560-568
organic sediments: Some problems of late Wisconsin history and geochronology in southeastern Ontario
(Terasmae, J.) 3: 361-381
peat: Holocene vegetation and climatic history of Prince Edward Island, Canada
(Anderson, T. W.) 9: 1152-1165
plutonic rocks: The Rb/Sr geochronology of the Archean Chibougamau Pluton, Quebec
(Brooks, C.) 6: 776-783
quartzite: Age of Ag-Pb-Zn mineralization, Keno Hill - Galena Hill area, Yukon Territory
(Sinclair, A. J., *et al.*) 8: 1110-1103
till: Late Wisconsinan glacial stratigraphy and history of southeastern Manitoba
(Teller, J. T., *et al.*) 1: 19-35
volcanic rocks: Lead isochron dating of the Seton Formation, East Arm of Great Slave Lake, Northwest Territories
(Cumming, G. L.) 11: 1591-1593
wood: The Nipissing transgression around southern Lake Huron
(Karrow, P. F.) 9: 1271-1274
zircon: New data on the lower Proterozoic of the North Armorican Massif (France); age and significance
(Auvray, B., *et al.*) 4: 532-538
— The age and geological history of the Wollaston, Peter Lake, and Rottenstone domains in northern Saskatchewan
(Ray, G. E., *et al.*) 3: 333-347
— Two hundred and twenty million years of Archean evolution; a zircon U-Pb age stratigraphic study of the Uchi-Confederation Lakes greenstone belt, northwestern Ontario
(Nunes, P. D., *et al.*) 6: 710-721
— Zircon ages for the Pelly Gneiss and Klotassin granodiorite in western Yukon
(Tempelman-Kluit, D., *et al.*) 3: 297-306
absolute age—interpretation
C-14: Glacial history and stratigraphy of the Alberta portion of the Kananaskis Lakes map area
(Jackson, L. E., Jr.) 4: 459-477
— The Wisconsinan deglaciation of southern Saskatchewan and adjacent areas; discussion and reply
(Teller, J. T., *et al.*) 4: 539-541
moraines: Holocene and latest Pleistocene cirque glaciations in the Shuswap Highland, British Columbia; discussion and reply
(Alley, N. F., *et al.*) 6: 797-800
sediments: Bridge River tephra; revised distribution and significance for detecting old carbon errors in radiocarbon dates of limnic sediments in southern British Columbia
(Mathewes, R. W., *et al.*) 11: 1454-1461

[1]Prepared from the GeoRef data base, at the American Geological Institute, 5205 Leesburg Pike, Falls Church, VA 22041, U.S.A.

aeromagnetic surveys *see* magnetic surveys *under* geophysical surveys *under* Canadian Shield; Northwest Territories

Africa *see also* Malagasy Republic; Mali; Morocco

Africa—tectonophysics
plate tectonics: Geodynamic interpretation of the Pan-African domain (late Precambrian) of the Anti-Atlas (Morocco), from geologic and geochronologic studies
(Leblanc, M., *et al.*) 1: 142-155
— Gravity anomalies along the Niger River curve (Mali); their significance within the framework of the Pan-African Orogeny
(Lesquer, A., *et al.*) 11: 1538-1545
— Mobility of Morocco
(Sichler, B., *et al.*) 11: 1546-1558

Alaska—paleontology
Mammalia: Pleistocene mammals from Lost Chicken Creek, Alaska
(Harington, C. R.) 2: 168-198

Alaska—stratigraphy
Triassic: Regional implications of Upper Triassic metavolcanic and metasedimentary rocks on the Chilkat Peninsula, southeastern Alaska
(Plafker, G., *et al.*) 6: 681-689

Alaska—structural geology
tectonics: Plate kinematics of the Denali fault system
(Stout, J. H., *et al.*) 11: 1527-1537

Alberta—environmental geology
pollution: Shallow core snow chemistry of Athabasca Glacier, Alberta
(Butler, D., *et al.*) 2: 278-281
— The effects of surface mining of coal on water quality near Grande Cache, Alberta; discussion and reply
(Weyer, K. U., *et al.*) 7: 952-955

Alberta—geochronology
Holocene: Pedogenesis and tephrochronology of loess derived soils, Hinton, Alberta
(Dumanski, J., *et al.*) 1: 52-59
— Pedogenesis and tephrochronology of loess derived soils, Hinton, Alberta; discussion
(Westgate, J. A.) 8: 1122

Alberta—geomorphology
glacial geology: The Wisconsinan deglaciation of southern Saskatchewan and adjacent areas; discussion
(St-Onge, D. A.) 2: 287-288
mass movements: A rock labyrinth in the Front Ranges of the Rockies, Alberta
(Simmons, J. V., *et al.*) 9: 1300-1309

Alberta—paleontology
Echinodermata: Pelecocrinus sp. cf. P. banffensis Laudon, Parks, and Spreng, from the Banff Formation (Lower Mississippian), Kananaskis Valley, Alberta, Canada
(McGugan, A., *et al.*) 11: 1588-1591
Invertebrata: Macgowanella gen. nov., possible bryozoan holdfasts, Mississippian of southern Canadian Rocky Mountains, Alberta
(Nelson, S. J., *et al.*) 10: 1431-1435
Mammalia: Mammals from the Upper Cretaceous Oldman Formation, Alberta; IV, Meniscoessus Cope (Multituberculata)
(Fox, R. C.) 11: 1480-1488
— Picopsis pattersoni, n.gen. and sp., an unusual therian from the Upper Cretaceous of Alberta, and the classification of primitive tribosphenic mammals
(Fox, R. C.) 11: 1489-1498
Pisces: Oldest known Esox (Pisces; Esocidae), part of a new Paleocene teleost fauna from western Canada
(Wilson, M. V. H.) 3: 307-312

Alberta—sedimentary petrology
sedimentation: Anastomosed river deposits; modern and ancient examples in Alberta, Canada
(Smith, D. G., *et al.*) 10: 1396-1406

Alberta—soils
surveys: An early Holocene solodic Paleosol near Priddis, Alberta
(Sanborn, P., *et al.*) 10: 1323-1330

Alberta—stratigraphy
Pleistocene: Glacial history and stratigraphy of the Alberta portion of the Kananaskis Lakes map area
(Jackson, L. E., Jr.) 4: 459-477

algae—Cyanophyta
Proterozoic: A new shale-facies microbiota from the middle Proterozoic Dismal Lakes Group, District of Mackenzie, Northwest Territories, Canada
(Horodyski, R. J., *et al.*) 9: 1166-1173

Appalachians—petrology
metamorphic rocks: Structural and metamorphic relationships of pre-Fleur Lys and Fleur de Lys rocks of the Baie Verte Peninsula, Newfoundland
(de Wit, M. J.) 11: 1559-1575

Appalachians—stratigraphy
Eocene: Paleomagnetism of Eocene igneous intrusions in the Valley and Ridge Province, Virginia and West Virginia
(Ressetar, R., *et al.*) 11: 1583-1588
Ordovician: Provenance and deposition model of the Nicolet River Formation; Taconic flysch of the autochthonous and external domains of the Quebec Appalachians
(Beaulieu, J., *et al.*) 7: 855-865

Appalachians—tectonophysics
plate tectonics: Early Mesozoic diabase dikes of the Avalon Peninsula, Newfoundland; petrochemistry, mineralogy, and origin
(Papezik, V. S., *et al.*) 10: 1417-1430

Archaeocyatha—biogeography
endemic taxa: First regular archaeocyaths from the northern Appalachians, Forteau Formation, western Newfoundland
(James, N. P., *et al.*) 12: 1609-1615

Archean *see also under* geochronology *under* Canadian Shield; Manitoba; Ontario; Quebec; *see also under* stratigraphy *under* Canadian Shield; Ontario

Archean—tectonophysics
crust: A model for Archean tectonism; Part 2, Numerical models of vertical tectonism in greenstone belts
(Mareschal, J. C., *et al.*) 1: 60-71

archeology *see* archaeology *under* paleomagnetism *under* geochronology

Arctic region—tectonophysics
crust: Geomagnetic depth sounding over the central Arctic Islands, Canada
(DeLaurier, J. M., *et al.*) 12: 1642-1652

Asia *see also* China; Far East; India

Atlantic Ocean *see also* Bermuda

Atlantic Ocean—geophysical surveys
seismic surveys: Measurement and evaluation of the acoustic reflectivity of the sea floor
(Parrott, D. R., *et al.*) 6: 722-737

Atlantic Ocean—stratigraphy
changes of level: Spatial variability of foraminifera and pollen in two nearshore sediment sites, St. Georges Bay, Nova Scotia
(Schafer, C. T., *et al.*) 3: 313-324
Quaternary: Labrador Sea bio-, tephro-, oxygen isotopic stratigraphy and late Quaternary paleoceanographic trends
(Fillon, R. H., *et al.*) 7: 831-854
Triassic: Upper Triassic salt deposits of the western North Atlantic
(Jansa, L. F., *et al.*) 5: 547-559

Atlantic Ocean—tectonophysics
plate tectonics: Mobility of Morocco
(Sichler, B., *et al.*) 11: 1546-1558
— Upper Triassic salt deposits of the western North Atlantic
(Jansa, L. F., *et al.*) 5: 547-559
sea-floor spreading: Deep Drill 1972; a paleomagnetic study of the Bermuda Seamount
(Rice, P. D., *et al.*) 2: 232-243

Atlantic region—stratigraphy
Paleozoic: Correlation of Cambrian-Ordovician boundary between Europe and North America; new data from western Newfoundland
(Fortey, R. A., *et al.*) 3: 382-388

Atlantic region—tectonophysics
continental drift: Mobility of Morocco
(Sichler, B., *et al.*) 11: 1546-1558

Aves—Neornithes
Pleistocene: Pleistocene loons of the Old Crow Basin, Yukon Territory, Canada
(Fitzgerald, G. R.) 11: 1593-1598

batholiths *see under* intrusions

Bermuda—tectonophysics
paleomagnetism: Deep Drill 1972; a paleomagnetic study of the Bermuda Seamount
(Rice, P. D., *et al.*) 2: 232-243

biogeography—Archaeocyatha
Cambrian: First regular archaeocyaths from the northern Appalachians, Forteau Formation, western Newfoundland
(James, N. P., *et al.*) 12: 1609-1615

biogeography—Mammalia
Pleistocene: Pleistocene peccary, Platygonus compressus Le Conte, from Yukon Territory, Canada
(Beebe, B. F.) 9: 1204-1209

biogeography—Pisces
Paleocene: Oldest known Esox (Pisces; Esocidae), part of a new Paleocene teleost fauna from western Canada
(Wilson, M. V. H.) 3: 307-312

birds *see* Aves

Brachiopoda—biostratigraphy
Permian: Brachiopod assemblages from the Upper Permian and Permian-Triassic boundary beds, South China
(Liao Zhuo-ting) 2: 289-295

Brazil—sedimentary petrology
sedimentation: Chattermarked garnets and heavy minerals from the late Paleozoic glacial deposits of southeastern Brazil
(Gravenor, C. P.) 1: 156-159

British Columbia—economic geology
coal: Spontaneous carbonization of oxidized high-volatile coal by a lightning strike
(Pearson, D. E., *et al.*) 1: 36-42
geothermal energy: Magnetotelluric soundings across the Pemberton volcanic belt, British Columbia
(Dragert, H., *et al.*) 2: 161-167

British Columbia—engineering geology
slope stability: Structural and stratigraphic setting of the Downie Slide, Columbia River valley, British Columbia
(Brown, R. L., *et al.*) 6: 698-709

British Columbia—geochemistry
trace elements: Chemistry and origin of the Eocene Metchosin Volcanics, Vancouver Island, British Columbia
(Muller, J. E.) 2: 199-209

British Columbia—geochronology
Holocene: Bridge River tephra; revised distribution and significance for detecting old carbon errors in radiocarbon dates of limnic sediments in southern British Columbia
(Mathewes, R. W., *et al.*) 11: 1454-1461

British Columbia—geomorphology
glacial geology: Holocene and latest Pleistocene cirque glaciations in the Shuswap Highland, British Columbia; discussion and reply
(Alley, N. F., *et al.*) 6: 797-800

British Columbia—geophysical surveys
magnetotelluric surveys: Magnetotelluric soundings across the Pemberton volcanic belt, British Columbia
(Dragert, H., *et al.*) 2: 161-167
seismic surveys: The Dellwood Knolls and their role in triple junction tectonics off northern Vancouver Island
(Riddihough, R. P., *et al.*) 5: 577-593

British Columbia—oceanography
continental shelf: The Apollo Structure in Tofino Basin, Canadian Pacific continental shelf
(Yorath, C. J.) 6: 758-775

British Columbia—petrology
igneous rocks: Geology of the Coquihalla volcanic complex, southwestern British Columbia
(Berman, R. G., *et al.*) 8: 985-995
— Petrology of the Turnagain ultramafic complex, northwestern British Columbia
(Clark, T.) 6: 744-757

British Columbia—sedimentary petrology
sedimentation: Eolian coastal dune deposits and surrounding marine sandstones, Rocky Mountain Supergroup (Lower Pennsylvanian), southeastern British Columbia
(Stewart, W. D., *et al.*) 9: 1125-1140

British Columbia—stratigraphy
Paleozoic: Possible early Paleozoic coral, Intermontane Belt, South-central British Columbia
(Nelson, S. J.) 2: 266-268
Proterozoic: Stratigraphy, sedimentology, and regional correlation of the Horsethief Creek Group (Hadrynian, late Precambrian) in the northern Purcell and Selkirk Mountains, British Columbia
(Poulton, T. P., *et al.*) 12: 1708-1724

Triassic: Displacement of Vancouver Island; paleomagnetic evidence from the Karmutsen Formation
(Yole, R. W., *et al.*) 9: 1210-1228
— Paleomagnetism of the Karmutsen basalts from Southeast Vancouver Island
(Schwarz, E. J., *et al.*) 3: 389-399

British Columbia—structural geology
tectonics: The Apollo Structure in Tofino Basin, Canadian Pacific continental shelf
(Yorath, C. J.) 6: 758-775

British Columbia—tectonophysics
paleomagnetism: Positive test of the paleomagnetic method for estimating burial depth using a dike contact
(Symons, D. T. A., *et al.*) 6: 690-697
plate tectonics: The Dellwood Knolls and their role in triple junction tectonics off northern Vancouver Island
(Riddihough, R. P., *et al.*) 5: 577-593

Bryozoa—biostratigraphy
Ordovician: A cluster analysis interpretation of Middle Ordovician biofacies, southern Mackenzie Mountains
(Hayes, B. J. R.) 10: 1377-1388

Cambrian *see also under* stratigraphy *under* Newfoundland

Canada *see also* Alberta; Appalachians; British Columbia; Canadian Shield; Great Lakes; Great Lakes region; Great Plains; Labrador; Manitoba; Maritime Provinces; New Brunswick; Newfoundland; Northwest Territories; Nova Scotia; Ontario; Prince Edward Island; Quebec; Rocky Mountains; Saskatchewan; Yukon Territory

Canada—geophysical surveys
gravity surveys: Preliminary analysis of a gravity profile across the Bonnet Plume Basin, Yukon Territory, Canada; an aid to coal basin evaluation
(Sobczak, L. W., *et al.*) 1: 43-51
remote sensing: Comparisons of magnetic anomalies of lithospheric origin measured by satellite and airborne magnetometers over western Canada
(Langel, R. A., *et al.*) 7: 876-887

Canada—tectonophysics
crust: Gravitationally induced stresses at structural boundaries
(Goodacre, A. K., *et al.*) 9: 1286-1291
— Magnetotelluric soundings across the Pemberton volcanic belt, British Columbia
(Dragert, H., *et al.*) 2: 161-167
mantle: Rheological properties of the upper mantle in Canada from olivine microrheology
(Ranalli, G.) 11: 1499-1505

Canadian Shield—geochemistry
trace elements: Geochemical evolution in the Blake River Group, Abitibi greenstone belt, Superior Province
(Smith, I. E. M.) 9: 1292-1299
— Geochemistry of Archean meta-igneous rocks, Lake Despair area, Wabigoon Subprovince, northwestern Ontario
(Longstaffe, F. J., *et al.*) 8: 1046-1063

Canadian Shield—geochronology
Archean: A Rb-Sr isotopic study of the Archean rocks of the eastern Lac Seul region, English River Subprovince, northwestern Ontario
(Wooden, J. L., *et al.*) 5: 569-576
— Aphebian overprinting in the Superior Province east of James Bay, Quebec
(Brooks, C.) 4: 526-532
— Rubidium-strontium ages from the Oxford Lake-Knee Lake greenstone belt, northern Manitoba
(Clark, G. S., *et al.*) 5: 560-568
— The Rb/Sr geochronology of the Archean Chibougamau Pluton, Quebec
(Brooks, C.) 6: 776-783
— The 2.5 Ga Duxbury Massif, Quebec; a remobilized piece of pre-3.0 Ga sialic basement(?)
(Verpaelst, P., *et al.*) 1: 1-18
— Two hundred and twenty million years of Archean evolution; a zircon U-Pb age stratigraphic study of the Uchi-Confederation Lakes greenstone belt, northwestern Ontario
(Nunes, P. D., *et al.*) 6: 710-721

Canadian Shield—geophysical surveys
gravity surveys: Gravity model of the Aulneau Batholith, northwestern Ontario
(Brisbin, W. C., *et al.*) 8: 968-977
heat flow: Heat flow measurements under some lakes in the Superior Province of the Canadian Shield; discussion and reply
(Beck, A. E., *et al.*) 8: 1108-1111
magnetic surveys: Comparisons of magnetic anomalies of lithospheric origin measured by satellite and airborne magnetometers over western Canada
(Langel, R. A., *et al.*) 7: 876-887

Canadian Shield—petrology
intrusions: Trondhjemitic basement enclave near the Archean Favourable Lake volcanic complex, northwestern Ontario, Canada
(Hillary, E. M., *et al.*) 5: 652-667
metamorphism: Conditions of metamorphism in high-grade pelitic gneisses from the Frontenac Axis, Ontario, Canada
(Lonker, S.) 12: 1666-1684
— Heavy minerals in stream sediments from Churchill Falls, Labrador; an aid in bedrock mapping
(Callahan, J. E.) 2: 244-253

Canadian Shield—sedimentary petrology
sedimentary rocks: Stromatolites and fenestral fabric early Proterozoic Huronian Supergroup, Ontario
(Hofmann, H. J., *et al.*) 10: 1351-1357

Canadian Shield—seismology
crust: Cooperative seismic surveys across the Superior-Churchill boundary zone in southern Canada
(Green, A. G., *et al.*) 5: 617-632
— Delineation of geologic contacts by seismic refraction with application to the fault zone between the Thompson nickel belt and the Churchill tectonic province
(Green, A. G.) 9: 1141-1151

Canadian Shield—stratigraphy
Archean: An inverted Archean succession at Rainy Lake, Ontario
(Poulsen, K. H., *et al.*) 10: 1358-1369
— Errata; Aeromagnetic anomaly pattern in the English River gneiss belt, Superior Province
(Urquhart, W. E. S., *et al.*) 6: 796
Proterozoic: Paleomagnetism of igneous rock from the Belcher Islands, Northwest Territories, Canada
(Schmidt, P. W.) 7: 807-822
— Revised stratigraphic nomenclature for Aphebian and other rock units, southern Labrador Trough, Grenville

Province
(Rivers, T.) 5: 668-670
— The Flinton Group; a late Precambrian metasedimentary succession in the Grenville Province of eastern Ontario
(Moore, J. M., Jr., *et al.*) 12: 1685-1707

Canadian Shield—structural geology
tectonics: The position of the Grenville Front in eastern and central Labrador
(Gower, C. F., *et al.*) 6: 784-788

Canadian Shield—tectonophysics
crust: Comparisons of magnetic anomalies of lithospheric origin measured by satellite and airborne magnetometers over western Canada
(Langel, R. A., *et al.*) 7: 876-887
— Correlation of gravity anomalies with Yellowknife Supergroup rocks, North Arm, Great Slave Lake
(Gibb, R. A., *et al.*) 11: 1506-1516
— The origin and history of the Kapuskasing structural zone, Ontario, Canada
(Watson, J.) 7: 866-875
mantle: Rheological properties of the upper mantle in Canada from olivine microrheology
(Ranalli, G.) 11: 1499-1505
plate tectonics: The age and geological history of the Wollaston, Peter Lake, and Rottenstone domains in northern Saskatchewan
(Ray, G. E., *et al.*) 3: 333-347

carbonate rocks *see under* sedimentary rocks

changes of level *see also under* geomorphology *under* Great Lakes; *see also under* stratigraphy *under* Atlantic Ocean

China—stratigraphy
Permian: Brachiopod assemblages from the Upper Permian and Permian-Triassic boundary beds, South China
(Liao Zhuo-ting) 2: 289-295

clastic rocks *see under* sedimentary rocks

clastic sediments *see under* sediments

cleavage *see under* style *under* foliation

coal *see also under* economic geology *under* British Columbia; Rocky Mountains; Yukon Territory

Coelenterata—Rugosa
Devonian: Devonian corals of late Eifelian age from the Ogilvie Formation of Yukon Territory
(Pedder, A. E. H.) 5: 594-616
Ordovician: Borings in solitary rugose corals of the Selkirk Member, Red River Formation (late Middle or Upper Ordovician), southern Manitoba
(Elias, R. J.) 2: 272-277

Coelenterata—Tabulata
Paleozoic: Possible early Paleozoic coral, Intermontane Belt, South-central British Columbia
(Nelson, S. J.) 2: 266-268
Silurian: Halysitid corals from Silurian and Devonian rocks of Quebec
(Wright, A. J., *et al.*) 6: 788-796

conodonts—biostratigraphy
Ordovician: A cluster analysis interpretation of Middle Ordovician biofacies, southern Mackenzie Mountains
(Hayes, B. J. R.) 10: 1377-1388
— Conodonts from the Davidsville Group, northeastern Newfoundland
(Stouge, S.) 2: 268-272
— Conodonts from the Davidsville Group, northeastern Newfoundland; discussion and reply
(McKerrow, W. S., *et al.*) 11: 1599-1601

continental drift *see also under* stratigraphy *under* North America; *see also under* tectonophysics *under* Atlantic region

continental shelf *see also under* oceanography *under* British Columbia; Nova Scotia

copper *see also under* economic geology *under* Turkey

core—theoretical studies
magnetohydrodynamics: Dynamics of a fluid core with inward growing boundaries
(Schloessin, H. H., *et al.*) 1: 72-89

Cretaceous *see also under* geochronology *under* Great Plains; Yukon Territory

crust *see also under* seismology *under* Canadian Shield; Quebec; *see also under* tectonophysics *under* Archean; Arctic region; Canada; Canadian Shield

crust—properties
electrical properties: Buried ocean crust and continental crust geomagnetic induction anomalies; a possible association
(Drury, M. J., *et al.*) 8: 961-967

crystal chemistry *see also* crystal growth; minerals

crystal growth *see also* minerals

crystal growth—framework silicates
analcime: Phillipsite altered to analcime in basal Windsor [shallow-water marine] carbonates of Mississippian age in Nova Scotia
(von Bitter, P. H., *et al.*) 8: 1096-1100

crystal growth—orthosilicates, garnet group
garnet: The nature of the late Paleozoic glaciation in Gondwana as determined from an analysis of garnets and other heavy minerals; discussion and reply
(Howie, R. A., *et al.*) 7: 957-959

crystal structure *see also* minerals

deformation *see also* geophysics; structural analysis

deformation—field studies
recrystallization: Trondhjemitic basement enclave near the Archean Favourable Lake volcanic complex, northwestern Ontario, Canada
(Hillary, E. M., *et al.*) 5: 652-667
strain: Fold fabrics and emplacement of an Archean granitoid pluton, Cleft Lake, Northwest Territories
(Fyson, W. K.) 3: 325-332
— Strain from repeated geodetic surveys by generalized inverse methods
(Margrave, G. F., *et al.*) 8: 1020-1030

deformation—theoretical studies
creep: Rheological properties of the upper mantle in Canada from olivine microrheology
(Ranalli, G.) 11: 1499-1505

Devonian *see also under* stratigraphy *under* Maritime Provinces; New England; Yukon Territory

diagenesis *see also* sedimentation

diagenesis—materials
zeolites: Phillipsite altered to analcime in basal Windsor [shallow-water marine] carbonates of Mississippian age in Nova Scotia
(von Bitter, P. H., *et al.*) 8: 1096-1100

diastrophism *see* orogeny

dikes *see under* intrusions

dolostone *see also under* carbonate rocks *under* sedimentary rocks

Earth—theoretical studies
core: Dynamics of a fluid core with inward growing boundaries
(Schloessin, H. H., *et al.*) 1: 72-89

earthquakes *see also* seismology; *see also under* seismology *under* Quebec

Eastern Hemisphere *see also* Africa; Atlantic Ocean; Europe

Echinodermata—Crinoidea
Mississippian: Pelecocrinus sp. cf. P. banffensis Laudon, Parks, and Spreng, from the Banff Formation (Lower Mississippian), Kananaskis Valley, Alberta, Canada
(McGugan, A., *et al.*) 11: 1588-1591

Echinodermata—Edrioasteroidea
Ordovician: A soft substrate community with edrioasteroids, from the Verulam Formation (Middle Ordovician) at Gamebridge, Ontario
(Waddington, J. B.) 5: 674-679

energy sources *see also* uranium

engineering geology *see also* deformation; geodesy; geophysical methods; ground water; mining geology; rock mechanics; soil mechanics

Eocene *see also under* stratigraphy *under* Appalachians; Virginia; West Virginia

epeirogeny *see also* orogeny

Europe *see also* the individual nations

Europe—tectonophysics
plate tectonics: New data on the lower Proterozoic of the North Armorican Massif (France); age and significance
(Auvray, B., *et al.*) 4: 532-538

Far East—stratigraphy
Triassic: Brachiopod assemblages from the Upper Permian and Permian-Triassic boundary beds, South China
(Liao Zhuo-ting) 2: 289-295

faults—displacements
right-lateral faults: Plate kinematics of the Denali fault system
(Stout, J. H., *et al.*) 11: 1527-1537

faults—extent
fault zones: Delineation of geologic contacts by seismic refraction with application to the fault zone between the Thompson nickel belt and the Churchill tectonic province
(Green, A. G.) 9: 1141-1151

fluid inclusions—composition
carbon dioxide: Fluid inclusion evidence for the transport of tungsten by carbonate complexes in hydrothermal solutions
(Higgins, N. C.) 7: 823-830

folds—orientation
nappes: An inverted Archean succession at Rainy Lake, Ontario
(Poulsen, K. H., *et al.*) 10: 1358-1369
superposed folds: Fold fabrics and emplacement of an Archean granitoid pluton, Cleft Lake, Northwest Territories
(Fyson, W. K.) 3: 325-332

folds—style
anticlines: The Apollo Structure in Tofino Basin, Canadian Pacific continental shelf
(Yorath, C. J.) 6: 758-775

foliation *see also* structural analysis

foliation—style
cleavage: Fold fabrics and emplacement of an Archean granitoid pluton, Cleft Lake, Northwest Territories
(Fyson, W. K.) 3: 325-332
slip cleavage: An inverted Archean succession at Rainy Lake, Ontario
(Poulsen, K. H., *et al.*) 10: 1358-1369

foraminifera—biostratigraphy
Quaternary: Labrador Sea bio-, tephro-, oxygen isotopic stratigraphy and late Quaternary paleoceanographic trends
(Fillon, R. H., *et al.*) 7: 831-854

foraminifera—distribution
statistical analysis: Spatial variability of foraminifera and pollen in two nearshore sediment sites, St. Georges Bay, Nova Scotia
(Schafer, C. T., *et al.*) 3: 313-324

fossils *see* appropriate fossil group

fossils, problematic *see* problematic fossils

foundations *see also* rock mechanics; soil mechanics

fractures—style
joints: A rock labyrinth in the Front Ranges of the Rockies, Alberta
(Simmons, J. V., *et al.*) 9: 1300-1309

framework silicates *see under* minerals

France—geochemistry
trace elements: Behavior of some trace elements during anatexis; Saint-Malo Massif, Brittany, France
(Martin, H.) 7: 927-941

France—geochronology
Proterozoic: New data on the lower Proterozoic of the North Armorican Massif (France); age and significance
(Auvray, B., *et al.*) 4: 532-538

garnet *see under* orthosilicates, garnet group *under* crystal growth; minerals

genesis of ore deposits *see* mineral deposits, genesis

geochemistry—processes
partitioning: Behavior of some trace elements during anatexis; Saint-Malo Massif, Brittany, France
(Martin, H.) 7: 927-941

geochemistry—properties
alkalinity: Total alkalinity as a mixing index in an estuarine environment
(Pelletier, E., *et al.*) 8: 978-984

geochemistry—surveys
Quebec: Trace metal speciation in the Yamaska and St. Francois rivers (Quebec)
(Tessier, A., *et al.*) 1: 90-105

geochronology *see also* absolute age

geochronology—paleomagnetism
archaeology: Archeomagnetism of a 19th century pottery kiln near Jordan, Ontario
(Dunlop, D. J., *et al.*) 9: 1275-1285
polar wandering: Reinterpretation of the North American apparent polar wander curve for the interval 800-1500 Ma
(Berger, G. W., *et al.*) 9: 1229-1235

geochronology—tephrochronology
correlation: Bridge River tephra; revised distribution and significance for detecting old carbon errors in radiocarbon dates of limnic sediments in southern British Columbia
(Mathewes, R. W., *et al.*) 11: 1454-1461

— Labrador Sea bio-, tephro-, oxygen isotopic stratigraphy and late Quaternary paleoceanographic trends
(Fillon, R. H., *et al.*) 7: 831-854
loess: Pedogenesis and tephrochronology of loess derived soils, Hinton, Alberta
(Dumanski, J., *et al.*) 1: 52-59
— Pedogenesis and tephrochronology of loess derived soils, Hinton, Alberta; discussion
(Westgate, J. A.) 8: 1122

geochronology—thermoluminescence
applications: Thermoluminescence dating of ocean sediments
(Wintle, A. G., *et al.*) 3: 348-360

geodesy—methods
networks: Strain from repeated geodetic surveys by generalized inverse methods
(Margrave, G. F., *et al.*) 8: 1020-1030

geomorphology *see also* glacial geology

geomorphology—fluvial features
braided streams: Anastomosed river deposits; modern and ancient examples in Alberta, Canada
(Smith, D. G., *et al.*) 10: 1396-1406

geomorphology—lacustrine features
terraces: The Nipissing transgression around southern Lake Huron
(Karrow, P. F.) 9: 1271-1274

geomorphology—landform description
topography: Geology and origin of the Brandon Hills, Southwest Manitoba
(Welsted, J., *et al.*) 7: 942-951

geomorphology—landform evolution
drainage patterns: Evolution of physiography and drainage in southern Yukon
(Tempelman-Kluit, D.) 9: 1189-1203

geomorphology—mass movements
rock labyrinths: A rock labyrinth in the Front Ranges of the Rockies, Alberta
(Simmons, J. V., *et al.*) 9: 1300-1309
rockslides: Structural and stratigraphic setting of the Downie Slide, Columbia River valley, British Columbia
(Brown, R. L., *et al.*) 6: 698-709

geomorphology—shore features
sand bodies: Sediment dynamics in the macrotidal Avon River estuary, Bay of Fundy, Nova Scotia
(Lambiase, J. J.) 12: 1628-1641

geomorphology—solution features
karst: Hydrochemistry of a dolomite karst; the Bruce Peninsula of Ontario
(Cowell, D. W., *et al.*) 4: 520-526

geophysical methods—gravity methods
interpretation: Gravity model of the Aulneau Batholith, northwestern Ontario
(Brisbin, W. C., *et al.*) 8: 968-977

geophysical methods—seismic methods
applications: Delineation of geologic contacts by seismic refraction with application to the fault zone between the Thompson nickel belt and the Churchill tectonic province
(Green, A. G.) 9: 1141-1151
interpretation: Measurement and evaluation of the acoustic reflectivity of the sea floor
(Parrott, D. R., *et al.*) 6: 722-737
techniques: Cooperative seismic surveys across the Superior-Churchill boundary zone in southern Canada
(Green, A. G., *et al.*) 5: 617-632

geophysical surveys *see* gravity surveys *under* geophysical surveys *under* Canada; Canadian Shield; Northwest Territories; Ontario; *see* magnetic surveys *under* geophysical surveys *under* Canadian Shield; Northwest Territories; *see* magnetotelluric surveys *under* geophysical surveys *under* British Columbia; *see* seismic surveys *under* geophysical surveys *under* Atlantic Ocean; British Columbia; Manitoba; Pacific Ocean; Quebec; Saskatchewan; *see also* geophysical methods

geophysics *see also* deformation

geophysics—theoretical studies
creep: Rheological properties of the upper mantle in Canada from olivine microrheology
(Ranalli, G.) 11: 1499-1505

geosynclines *see also* orogeny

geothermal energy *see also under* economic geology *under* British Columbia

glacial geology *see also* geomorphology

glacial geology—ancient ice ages
Paleozoic: Chattermarked garnets and heavy minerals from the late Paleozoic glacial deposits of southeastern Brazil
(Gravenor, C. P.) 1: 156-159
— The nature of the late Paleozoic glaciation in Gondwana as determined from an analysis of garnets and other heavy minerals; discussion and reply
(Bull, P. A., *et al.*) 2: 282-287
— The nature of the late Paleozoic glaciation in Gondwana as determined from an analysis of garnets and other heavy minerals; discussion and reply
(Howie, R. A., *et al.*) 7: 957-959
Proterozoic: Heavy minerals and sedimentological studies on the glaciogenic late Precambrian Gaskiers Formation of Newfoundland
(Gravenor, C. P.) 13: 1331-1341

glacial geology—glacial features
glacial lakes: Glacial Lake Coppermine, North-central District of Mackenzie, Northwest Territories
(St-Onge, D. A.) 9: 1310-1315
— The Nipissing transgression around southern Lake Huron
(Karrow, P. F.) 9: 1271-1274
kettles: Pleistocene marine kettle-fill deposits near Ottawa, Canada
(Hayward, M., *et al.*) 9: 1236-1245
landform description: Geology and origin of the Brandon Hills, Southwest Manitoba
(Welsted, J., *et al.*) 7: 942-951
— Glacial geology of Grand Manan Island, New Brunswick
(Legget, R. F.) 4: 440-452
moraines: Holocene and latest Pleistocene cirque glaciations in the Shuswap Highland, British Columbia; discussion and reply
(Alley, N. F., *et al.*) 6: 797-800

glacial geology—glaciation
deglaciation: Some problems of late Wisconsin history and geochronology in southeastern Ontario
(Terasmae, J.) 3: 361-381
— The Wisconsinan deglaciation of southern Saskatchewan and adjacent areas; discussion
(St-Onge, D. A.) 2: 287-288

— The Wisconsinan deglaciation of southern Saskatchewan and adjacent areas; discussion and reply
(Teller, J. T., *et al.*) 4: 539-541
deposition: Late Wisconsinan glacial stratigraphy and history of southeastern Manitoba
(Teller, J. T., *et al.*) 1: 19-35
— Quantitative evaluation of clast fabrics within the Catfish Creek Till, Bradtville, Ontario
(May, R. W., *et al.*) 8: 1064-1074
extent: Glacial history and stratigraphy of the Alberta portion of the Kananaskis Lakes map area
(Jackson, L. E., Jr.) 4: 459-477
— Quaternary events on the Burin Peninsula, Newfoundland, and the islands of St. Pierre and Miquelon, France
(Tucker, C. M., *et al.*) 11: 1462-1479
ice movement: Late-glacial regional ice-flow patterns in eastern Ontario
(Gadd, N. R.) 11: 1439-1453
pollen diagrams: Late Wisconsin white spruce (Picea glauca (Moench) Voss) at Brampton, Ontario
(Terasmae, J., *et al.*) 8: 1087-1095

glacial geology—glaciers
geochemistry: Shallow core snow chemistry of Athabasca Glacier, Alberta
(Butler, D., *et al.*) 2: 278-281
ice caps: Temperature profiles in the Barnes ice cap, Baffin Island, Canada, and heat flux from the subglacial terrane
(Hooke, R. L., *et al.*) 9: 1174-1188

glacial geology—periglacial features
hummocks: The origin of hummocks, western Arctic coast, Canada
(Mackay, J. R.) 8: 996-1006

glaciation *see under* glacial geology

glaciers *see under* glacial geology

Graptolithina—biostratigraphy
Cambrian: Correlation of Cambrian-Ordovician boundary between Europe and North America; new data from western Newfoundland
(Fortey, R. A., *et al.*) 3: 382-388
Ordovician: Provenance and deposition model of the Nicolet River Formation; Taconic flysch of the autochthonous and external domains of the Quebec Appalachians
(Beaulieu, J., *et al.*) 7: 855-865
Silurian: Wenlockian graptolite reference section, Clearwater Creek, Nahanni National Park, Northwest Territories, Canada
(Lenz, A. C.) 8: 1075-1086

gravel *see also under* clastic sediments *under* sediments

gravity surveys *see under* geophysical surveys *under* Canada; Canadian Shield; Northwest Territories; Ontario

Great Lakes—geomorphology
changes of level: The Nipissing transgression around southern Lake Huron
(Karrow, P. F.) 9: 1271-1274

Great Lakes—hydrogeology
hydrology: Hydrochemistry of a dolomite karst; the Bruce Peninsula of Ontario
(Cowell, D. W., *et al.*) 4: 520-526

Great Lakes region—stratigraphy
Pleistocene: Some problems of late Wisconsin history and geochronology in southeastern Ontario
(Terasmae, J.) 3: 361-381

Great Plains—geochronology
Cretaceous: A Rb/Sr age for the Cretaceous-Tertiary boundary (Z Coal), Hell Creek, Montana
(Baadsgaard, H., *et al.*) 5: 671-673

ground water *see also* hydrology

ground water—surveys
Ontario: Hydrochemistry of a dolomite karst; the Bruce Peninsula of Ontario
(Cowell, D. W., *et al.*) 4: 520-526

gymnosperms—Coniferales
Pleistocene: Late Wisconsin white spruce (Picea glauca (Moench) Voss) at Brampton, Ontario
(Terasmae, J., *et al.*) 8: 1087-1095

heat flow *see also under* geophysical surveys *under* Canadian Shield; Northwest Territories; *see also under* tectonophysics *under* Newfoundland

Holocene *see also under* geochronology *under* Alberta; British Columbia; Ontario; *see also under* stratigraphy *under* Nova Scotia; Prince Edward Island

Holocene—geochronology
thermoluminescence: Thermoluminescence dating of ocean sediments
(Wintle, A. G., *et al.*) 3: 348-360

hydrogeology *see also* ground water; hydrology

hydrology *see also* ground water

hydrology—surveys
Alberta: The effects of surface mining of coal on water quality near Grande Cache, Alberta; discussion and reply
(Weyer, K. U., *et al.*) 7: 952-955
Athabasca Glacier: Shallow core snow chemistry of Athabasca Glacier, Alberta
(Butler, D., *et al.*) 2: 278-281
Lake Huron: Hydrochemistry of a dolomite karst; the Bruce Peninsula of Ontario
(Cowell, D. W., *et al.*) 4: 520-526
Matagami: The ^{210}Pb and ^{137}Cs profiles in sediment cores from lakes Matagami and Quevillon, Northwest Quebec, Canada
(Durham, R. W., *et al.*) 12: 1746-1750
Miramichi River: Trace metal geochemistry in sediments from the Miramichi Estuary, New Brunswick
(Willey, J. D., *et al.*) 2: 254-265
Saint Lawrence Estuary: Total alkalinity as a mixing index in an estuarine environment
(Pelletier, E., *et al.*) 8: 978-984
Yamaska River: Trace metal speciation in the Yamaska and St. Francois rivers (Quebec)
(Tessier, A., *et al.*) 1: 90-105

hydrothermal alteration *see under* processes *under* metasomatism

ichnofossils—biostratigraphy
Ordovician: Phanerozoic flysch fossil diversity; observations based on an Ordovician flysch ichnofauna from the Aroostook-Matapedia carbonate belt of northern New Brunswick
(Pickerill, R. K.) 9: 1259-1270

ichnofossils—occurrence
burrows: Polycylindrichnus; possible Silurian tunicate burrows from southern Ontario
(Fournier, J. A., *et al.*) 6: 738-743
corals: Borings in solitary rugose corals of the Selkirk Member, Red River Formation (late Middle or Upper Ordovician), southern Manitoba
(Elias, R. J.) 2: 272-277

igneous rocks *see also* magmas; metamorphic rocks; metasomatism; phase equilibria

igneous rocks—alkalic composition
genesis: The Topsails igneous complex; Silurian-Devonian peralkaline magmatism in western Newfoundland
(Taylor, R. P., *et al.*) 4: 425-439

igneous rocks—basalt family
diabase: Early Mesozoic diabase dikes of the Avalon Peninsula, Newfoundland; petrochemistry, mineralogy, and origin
(Papezik, V. S., *et al.*) 10: 1417-1430
tholeiite: Geochemistry of the upper Snooks Arm Group basalts, Burlington Peninsula, Newfoundland; evidence against formation in an island arc
(Jenner, G. A., *et al.*) 7: 888-900

igneous rocks—classification
alkalic composition: A modified norm calculation
(Currie, K. L.) 10: 1342-1350

igneous rocks—geochemistry
trace elements: Geology and geochemistry of the molybdenite showings of the Ackley City Batholith, Southeast Newfoundland
(Whalen, J. B.) 9: 1246-1258

igneous rocks—plutonic rocks
geochemistry: Geochemistry of Archean meta-igneous rocks, Lake Despair area, Wabigoon Subprovince, northwestern Ontario
(Longstaffe, F. J., *et al.*) 8: 1046-1063
— Oxygen isotope evidence for the genesis of upper Paleozoic granitoids from southwestern Nova Scotia
(Longstaffe, F. J., *et al.*) 1: 132-141

igneous rocks—properties
magnetic properties: Positive test of the paleomagnetic method for estimating burial depth using a dike contact
(Symons, D. T. A., *et al.*) 6: 690-697

igneous rocks—textures
petrography: Multiple-stage hydrothermal alteration in porphyry copper systems in northern Turkey; the temporal interplay of potassic, propylitic, and phyllic fluids
(Taylor, R. P., *et al.*) 7: 901-926

igneous rocks—ultramafic family
complexes: Petrology of the Turnagain ultramafic complex, northwestern British Columbia
(Clark, T.) 6: 744-757
ophiolite: Geodynamic interpretation of the Pan-African domain (late Precambrian) of the Anti-Atlas (Morocco), from geologic and geochronologic studies
(Leblanc, M., *et al.*) 1: 142-155
— The dynamothermal aureole of the Bay of Islands ophiolite suite; discussion
(McCaig, A. M., *et al.*) 8: 1119-1121
— The dynamothermal aureole of the Bay of Islands ophiolite suite; discussion
(Gonzalez-Bonorino, G.) 10: 1436-1437

igneous rocks—volcanic rocks
calc-alkalic composition: Geology of the Coquihalla volcanic complex, southwestern British Columbia
(Berman, R. G., *et al.*) 8: 985-995
genesis: Chemistry and origin of the Eocene Metchosin Volcanics, Vancouver Island, British Columbia
(Muller, J. E.) 2: 199-209
geochemistry: Geochemical discriminators and the palaeotectonic environment of the North Mountain basalts, Nova Scotia
(Wark, J. M., *et al.*) 12: 1740-1745

incertae sedis *see* problematic fossils

inclusions *see also* fluid inclusions

India—petrology
metamorphic rocks: The Proterozoic ultramafic and mafic lavas and tuffs of the Dalma greenstone belt, Singhbhum, eastern India
(Gupta, A., *et al.*) 2: 210-231

intrusions—age
absolute age: The 2.5 Ga Duxbury Massif, Quebec; a remobilized piece of pre-3.0 Ga sialic basement(?)
(Verpaelst, P., *et al.*) 1: 1-18

intrusions—batholiths
emplacement: Trondhjemitic basement enclave near the Archean Favourable Lake volcanic complex, northwestern Ontario, Canada
(Hillary, E. M., *et al.*) 5: 652-667
petrology: Geology and geochemistry of the molybdenite showings of the Ackley City Batholith, Southeast Newfoundland
(Whalen, J. B.) 9: 1246-1258
structure: Gravity model of the Aulneau Batholith, northwestern Ontario
(Brisbin, W. C., *et al.*) 8: 968-977

intrusions—dikes
contact: Positive test of the paleomagnetic method for estimating burial depth using a dike contact
(Symons, D. T. A., *et al.*) 6: 690-697
dike swarms: Early Mesozoic diabase dikes of the Avalon Peninsula, Newfoundland; petrochemistry, mineralogy, and origin
(Papezik, V. S., *et al.*) 10: 1417-1430
— The origin and history of the Kapuskasing structural zone, Ontario, Canada
(Watson, J.) 7: 866-875

intrusions—genesis
complexes: The Topsails igneous complex; Silurian-Devonian peralkaline magmatism in western Newfoundland
(Taylor, R. P., *et al.*) 4: 425-439

intrusions—geochemistry
isotopes: Oxygen isotope evidence for the genesis of upper Paleozoic granitoids from southwestern Nova Scotia
(Longstaffe, F. J., *et al.*) 1: 132-141

intrusions—plutons
age: A Rb-Sr isotopic study of the Archean rocks of the eastern Lac Seul region, English River Subprovince, northwestern Ontario
(Wooden, J. L., *et al.*) 5: 569-576
— Rubidium-strontium ages from the Oxford Lake-Knee Lake greenstone belt, northern Manitoba
(Clark, G. S., *et al.*) 5: 560-568

— The Rb/Sr geochronology of the Archean Chibougamau Pluton, Quebec
(Brooks, C.) 6: 776-783
— Zircon ages for the Pelly Gneiss and Klotassin granodiorite in western Yukon
(Tempelman-Kluit, D., *et al.*) 3: 297-306
genesis: Fold fabrics and emplacement of an Archean granitoid pluton, Cleft Lake, Northwest Territories
(Fyson, W. K.) 3: 325-332

intrusions—sheets
magnetic properties: Deep Drill 1972; a paleomagnetic study of the Bermuda Seamount
(Rice, P. D., *et al.*) 2: 232-243

Invertebrata *see also* Archaeocyatha; Brachiopoda; Bryozoa; Coelenterata; Echinodermata; foraminifera; Graptolithina; Ichnofossils; Mollusca; Ostracoda; problematic fossils; Radiolaria; Trilobita

Invertebrata—miscellanea
Mississippian: Macgowanella gen. nov., possible bryozoan holdfasts, Mississippian of southern Canadian Rocky Mountains, Alberta
(Nelson, S. J., *et al.*) 10: 1431-1435

Iowa—stratigraphy
Quaternary: Two pollen diagrams from Quaternary deposits in East-central Iowa, U.S.A.
(Szabo, J. P.) 4: 453-458

isotope dating *see* absolute age

isotopes *see also* absolute age; geochronology

isotopes—analysis
radioactive isotopes: The ^{210}Pb and ^{137}Cs profiles in sediment cores from lakes Matagami and Quevillon, Northwest Quebec, Canada
(Durham, R. W., *et al.*) 12: 1746-1750

isotopes—oxygen
O-18/O-16: Labrador Sea bio-, tephro-, oxygen isotopic stratigraphy and late Quaternary paleoceanographic trends
(Fillon, R. H., *et al.*) 7: 831-854
— Oxygen isotope evidence for the genesis of upper Paleozoic granitoids from southwestern Nova Scotia
(Longstaffe, F. J., *et al.*) 1: 132-141

isotopes—strontium
Sr-87/Sr-86: A Rb-Sr isotopic study of the Archean rocks of the eastern Lac Seul region, English River Subprovince, northwestern Ontario
(Wooden, J. L., *et al.*) 5: 569-576
— The 2.5 Ga Duxbury Massif, Quebec; a remobilized piece of pre-3.0 Ga sialic basement(?)
(Verpaelst, P., *et al.*) 1: 1-18

joints *see under* style *under* fractures

Jurassic *see also under* stratigraphy *under* Oregon

karst *see under* solution features *under* geomorphology

Labrador—petrology
metamorphism: Heavy minerals in stream sediments from Churchill Falls, Labrador; an aid in bedrock mapping
(Callahan, J. E.) 2: 244-253

landform description *see under* geomorphology

lava *see also* igneous rocks; magmas

lava—age
absolute age: Lead isochron dating of the Seton Formation, East Arm of Great Slave Lake, Northwest Territories
(Cumming, G. L.) 11: 1591-1593

lava—geochemistry
trace elements: Chemistry and origin of the Eocene Metchosin Volcanics, Vancouver Island, British Columbia
(Muller, J. E.) 2: 199-209
— Geochemistry of the upper Snooks Arm Group basalts, Burlington Peninsula, Newfoundland; evidence against formation in an island arc
(Jenner, G. A., *et al.*) 7: 888-900

lava—properties
magnetic properties: Deep Drill 1972; a paleomagnetic study of the Bermuda Seamount
(Rice, P. D., *et al.*) 2: 232-243
— Paleomagnetism of Siluro-Devonian rocks from eastern Maine
(Kent, D. V., *et al.*) 12: 1653-1665

lava—viscosity
models: A model for Archean tectonism; Part 2, Numerical models of vertical tectonism in greenstone belts
(Mareschal, J. C., *et al.*) 1: 60-71

lineation *see also* foliation; structural analysis

Madagascar *see* Malagasy Republic

magmas *see also* igneous rocks; intrusions; lava

magmas—differentiation
fractional crystallization: Geochemistry of Archean metaigneous rocks, Lake Despair area, Wabigoon Subprovince, northwestern Ontario
(Longstaffe, F. J., *et al.*) 8: 1046-1063
— Geology and geochemistry of the molybdenite showings of the Ackley City Batholith, Southeast Newfoundland
(Whalen, J. B.) 9: 1246-1258

magmas—genesis
geochemistry: The Topsails igneous complex; Silurian-Devonian peralkaline magmatism in western Newfoundland
(Taylor, R. P., *et al.*) 4: 425-439
partial melting: Petrology of the Turnagain ultramafic complex, northwestern British Columbia
(Clark, T.) 6: 744-757

magmas—viscosity
models: A model for Archean tectonism; Part 2, Numerical models of vertical tectonism in greenstone belts
(Mareschal, J. C., *et al.*) 1: 60-71

magnetic surveys *see under* geophysical surveys *under* Canadian Shield; Northwest Territories

magnetotelluric surveys *see under* geophysical surveys *under* British Columbia

Maine—stratigraphy
Silurian: Paleomagnetism of Siluro-Devonian rocks from eastern Maine
(Kent, D. V., *et al.*) 12: 1653-1665

Malagasy Republic—paleontology
Reptilia: A new younginid (Reptilia; Eosuchia) from the Upper Permian of Madagascar
(Currie, P. J.) 4: 500-511

Mali—structural geology
tectonics: Gravity anomalies along the Niger River curve (Mali); their significance within the framework of the Pan-African Orogeny
(Lesquer, A., *et al.*) 11: 1538-1545

Mammalia—Artiodactyla
Pleistocene: Pleistocene peccary, Platygonus compressus Le Conte, from Yukon Territory, Canada
(Beebe, B. F.) 9: 1204-1209

Mammalia—faunal studies
Cretaceous: First record of Mesozoic mammals from Saskatchewan
(Johnston, P. A.) 4: 512-519
Pleistocene: Pleistocene mammals from Lost Chicken Creek, Alaska
(Harington, C. R.) 2: 168-198

Mammalia—Multituberculata
Cretaceous: Mammals from the Upper Cretaceous Oldman Formation, Alberta; IV, Meniscoessus Cope (Multituberculata)
(Fox, R. C.) 11: 1480-1488

Manitoba—geochronology
Archean: Rubidium-strontium ages from the Oxford Lake-Knee Lake greenstone belt, northern Manitoba
(Clark, G. S., *et al.*) 5: 560-568

Manitoba—geomorphology
glacial geology: Geology and origin of the Brandon Hills, Southwest Manitoba
(Welsted, J., *et al.*) 7: 942-951

Manitoba—geophysical surveys
seismic surveys: Cooperative seismic surveys across the Superior-Churchill boundary zone in southern Canada
(Green, A. G., *et al.*) 5: 617-632
— Delineation of geologic contacts by seismic refraction with application to the fault zone between the Thompson nickel belt and the Churchill tectonic province
(Green, A. G.) 9: 1141-1151

Manitoba—paleoecology
ichnofossils: Borings in solitary rugose corals of the Selkirk Member, Red River Formation (late Middle or Upper Ordovician), southern Manitoba
(Elias, R. J.) 2: 272-277

Manitoba—stratigraphy
Pleistocene: Late Wisconsinan glacial stratigraphy and history of southeastern Manitoba
(Teller, J. T., *et al.*) 1: 19-35

mantle *see also under* tectonophysics *under* Canada; Canadian Shield

Maritime Provinces—environmental geology
pollution: Trace metal geochemistry in sediments from the Miramichi Estuary, New Brunswick
(Willey, J. D., *et al.*) 2: 254-265

Maritime Provinces—stratigraphy
Devonian: Storm-dominated shallow marine sediments of the Arisaig Group (Silurian-Devonian) of Nova Scotia
(Cant, D. J.) 1: 120-131

mass movements *see under* geomorphology

Massachusetts—geochronology
absolute age: The geochronology of some stratified metamorphic rocks in northeastern Massachusetts
(Olszewski, W. J., Jr.) 10: 1407-1416

Massachusetts—stratigraphy
Paleozoic: The structural and metamorphic history of the Taconic unconformity in western Massachusetts; discussion
(Hatch, N. L., Jr., *et al.*) 4: 542-545
— The structural and metamorphic history of the Taconic unconformity in western Massachusetts; reply
(Uzuakpunwa, A. B., *et al.*) 8: 1122-1124

mathematical geology—methods
graphic methods: Simple graphical methods for estimating the confidence region about the orientation of the intersection of two planes; discussion and reply
(McFadden, P. L., *et al.*) 8: 1111-1114

metals *see also* uranium

metals—abundance
sediments: Trace metal geochemistry in sediments from the Miramichi Estuary, New Brunswick
(Willey, J. D., *et al.*) 2: 254-265
surface water: Trace metal speciation in the Yamaska and St. Francois rivers (Quebec)
(Tessier, A., *et al.*) 1: 90-105

metamorphic rocks *see also* igneous rocks; metamorphism; metasomatism

metamorphic rocks—age
absolute age: The geochronology of some stratified metamorphic rocks in northeastern Massachusetts
(Olszewski, W. J., Jr.) 10: 1407-1416

metamorphic rocks—distribution
zoning: The position of the Grenville Front in eastern and central Labrador
(Gower, C. F., *et al.*) 6: 784-788

metamorphic rocks—geochemistry
trace elements: Behavior of some trace elements during anatexis; Saint-Malo Massif, Brittany, France
(Martin, H.) 7: 927-941

metamorphic rocks—gneisses
age: The 2.5 Ga Duxbury Massif, Quebec; a remobilized piece of pre-3.0 Ga sialic basement(?)
(Verpaelst, P., *et al.*) 1: 1-18
mineral assemblages: Conditions of metamorphism in high-grade pelitic gneisses from the Frontenac Axis, Ontario, Canada
(Lonker, S.) 12: 1666-1684
— Heavy minerals in stream sediments from Churchill Falls, Labrador; an aid in bedrock mapping
(Callahan, J. E.) 2: 244-253

metamorphic rocks—lithostratigraphy
Triassic: Regional implications of Upper Triassic metavolcanic and metasedimentary rocks on the Chilkat Peninsula, southeastern Alaska
(Plafker, G., *et al.*) 6: 681-689

metamorphic rocks—metaigneous rocks
geochemistry: Geochemistry of Archean meta-igneous rocks, Lake Despair area, Wabigoon Subprovince, northwestern Ontario
(Longstaffe, F. J., *et al.*) 8: 1046-1063

metamorphic rocks—metaplutonic rocks
emplacement: Gravity model of the Aulneau Batholith, northwestern Ontario
(Brisbin, W. C., *et al.*) 8: 968-977
petrology: Trondhjemitic basement enclave near the Archean Favourable Lake volcanic complex, northwestern Ontario, Canada
(Hillary, E. M., *et al.*) 5: 652-667

metamorphic rocks—metasedimentary rocks
genesis: An Archean ultramafic turbidite from Lac Guyer, James Bay area, Quebec, Canada
(Stamatelopoulou-Seymour, K., *et al.*) 11: 1576-1582
geochemistry: Oxygen isotope evidence for the genesis of upper Paleozoic granitoids from southwestern Nova Scotia
(Longstaffe, F. J., *et al.*) 1: 132-141
lithostratigraphy: The Flinton Group; a late Precambrian metasedimentary succession in the Grenville Province of eastern Ontario
(Moore, J. M., Jr., *et al.*) 12: 1685-1707
meta-anthracite: Spontaneous carbonization of oxidized high-volatile coal by a lightning strike
(Pearson, D. E., *et al.*) 1: 36-42

metamorphic rocks—metavolcanic rocks
age: Two hundred and twenty million years of Archean evolution; a zircon U-Pb age stratigraphic study of the Uchi-Confederation Lakes greenstone belt, northwestern Ontario
(Nunes, P. D., *et al.*) 6: 710-721
geochemistry: Further immobile element data from altered volcanic rocks, Timmins mining area, Ontario
(Davies, J. F., *et al.*) 3: 419-423
— Geochemical evolution in the Blake River Group, Abitibi greenstone belt, Superior Province
(Smith, I. E. M.) 9: 1292-1299
— The Proterozoic ultramafic and mafic lavas and tuffs of the Dalma greenstone belt, Singhbhum, eastern India
(Gupta, A., *et al.*) 2: 210-231

metamorphic rocks—mineral assemblages
distribution: Errata; Aeromagnetic anomaly pattern in the English River gneiss belt, Superior Province
(Urquhart, W. E. S., *et al.*) 6: 796

metamorphic rocks—properties
density: Correlation of gravity anomalies with Yellowknife Supergroup rocks, North Arm, Great Slave Lake
(Gibb, R. A., *et al.*) 11: 1506-1516

metamorphic rocks—schists
greenstone: A model for Archean tectonism; Part 2, Numerical models of vertical tectonism in greenstone belts
(Mareschal, J. C., *et al.*) 1: 60-71
textures: The structural and metamorphic history of the Taconic unconformity in western Massachusetts; discussion
(Hatch, N. L., Jr., *et al.*) 4: 542-545
— The structural and metamorphic history of the Taconic unconformity in western Massachusetts; reply
(Uzuakpunwa, A. B., *et al.*) 8: 1122-1124

metamorphic rocks—slates
lithostratigraphy: Stratigraphy, sedimentology, and regional correlation of the Horsethief Creek Group (Hadrynian, late Precambrian) in the northern Purcell and Selkirk Mountains, British Columbia
(Poulton, T. P., *et al.*) 12: 1708-1724

metamorphic rocks—textures
fabric: Structural and metamorphic relationships of pre-Fleur Lys and Fleur de Lys rocks of the Baie Verte Peninsula, Newfoundland
(de Wit, M. J.) 11: 1559-1575

metamorphism—age
absolute age: The geochronology of some stratified metamorphic rocks in northeastern Massachusetts
(Olszewski, W. J., Jr.) 10: 1407-1416
— Two hundred and twenty million years of Archean evolution; a zircon U-Pb age stratigraphic study of the Uchi-Confederation Lakes greenstone belt, northwestern Ontario
(Nunes, P. D., *et al.*) 6: 710-721

metamorphism—contact metamorphism
aureoles: The dynamothermal aureole of the Bay of Islands ophiolite suite; discussion
(McCaig, A. M., *et al.*) 8: 1119-1121
— The dynamothermal aureole of the Bay of Islands ophiolite suite; discussion
(Gonzalez-Bonorino, G.) 10: 1436-1437

metamorphism—evolution
effects: The structural and metamorphic history of the Taconic unconformity in western Massachusetts; reply
(Uzuakpunwa, A. B., *et al.*) 8: 1122-1124

metamorphism—extent
structural provinces: The position of the Grenville Front in eastern and central Labrador
(Gower, C. F., *et al.*) 6: 784-788

metamorphism—grade
high-grade metamorphism: Conditions of metamorphism in high-grade pelitic gneisses from the Frontenac Axis, Ontario, Canada
(Lonker, S.) 12: 1666-1684
indicators: Heavy minerals in stream sediments from Churchill Falls, Labrador; an aid in bedrock mapping
(Callahan, J. E.) 2: 244-253

metamorphism—processes
anatexis: Behavior of some trace elements during anatexis; Saint-Malo Massif, Brittany, France
(Martin, H.) 7: 927-941
— Oxygen isotope evidence for the genesis of upper Paleozoic granitoids from southwestern Nova Scotia
(Longstaffe, F. J., *et al.*) 1: 132-141
recrystallization: Trondhjemitic basement enclave near the Archean Favourable Lake volcanic complex, northwestern Ontario, Canada
(Hillary, E. M., *et al.*) 5: 652-667

metamorphism—thermal metamorphism
lightning: Spontaneous carbonization of oxidized high-volatile coal by a lightning strike
(Pearson, D. E., *et al.*) 1: 36-42

metasomatism—processes
hydrothermal alteration: Deep Drill 1972; a paleomagnetic study of the Bermuda Seamount
(Rice, P. D., *et al.*) 2: 232-243
— Multiple-stage hydrothermal alteration in porphyry copper systems in northern Turkey; the temporal interplay of potassic, propylitic, and phyllic fluids
(Taylor, R. P., *et al.*) 7: 901-926

Middle East *see also* Turkey

Midwest—stratigraphy
Pleistocene: Two pollen diagrams from Quaternary deposits in East-central Iowa, U.S.A.
(Szabo, J. P.) 4: 453-458

mineral deposits, genesis—polymetallic ores
age: Age of Ag-Pb-Zn mineralization, Keno Hill - Galena Hill area, Yukon Territory
(Sinclair, A. J., *et al.*) 8: 1110-1103

mineral deposits, genesis—processes
hydrothermal processes: Fluid inclusion evidence for the transport of tungsten by carbonate complexes in hydrothermal solutions
(Higgins, N. C.) 7: 823-830
— Multiple-stage hydrothermal alteration in porphyry copper systems in northern Turkey; the temporal interplay of potassic, propylitic, and phyllic fluids
(Taylor, R. P., *et al.*) 7: 901-926

mineral exploration—geophysical methods
radioactivity methods: Determination of radioactive disequilibrium in uranium-bearing rocks; discussion and reply
(Lewis, T. J., *et al.*) 8: 1114-1119

mineral exploration—ore guides
heavy minerals: Heavy minerals in stream sediments from Churchill Falls, Labrador; an aid in bedrock mapping
(Callahan, J. E.) 2: 244-253

mineral prospecting *see* mineral exploration

minerals *see also* crystal growth

minerals—framework silicates
analcime: Phillipsite altered to analcime in basal Windsor [shallow-water marine] carbonates of Mississippian age in Nova Scotia
(von Bitter, P. H., *et al.*) 8: 1096-1100

minerals—orthosilicates, garnet group
garnet: The nature of the late Paleozoic glaciation in Gondwana as determined from an analysis of garnets and other heavy minerals; discussion and reply
(Howie, R. A., *et al.*) 7: 957-959

minerals—orthosilicates, olivine group
olivine: Rheological properties of the upper mantle in Canada from olivine microrheology
(Ranalli, G.) 11: 1499-1505

mining geology—evaluation
coal basins: Preliminary analysis of a gravity profile across the Bonnet Plume Basin, Yukon Territory, Canada; an aid to coal basin evaluation
(Sobczak, L. W., *et al.*) 1: 43-51

mining geology—technology
oil shale: Radio-frequency electrical properties of Green River oil shales
(Rajeshwar, K., *et al.*) 9: 1315-1321

Mississippian *see also under* stratigraphy *under* Nova Scotia

Mollusca—biostratigraphy
Jurassic: Correlation of the members of the Jurassic Snowshoe Formation in the Izee Basin of East-central Oregon
(Smith, P. L.) 12: 1603-1608
Triassic: Regional implications of Upper Triassic metavolcanic and metasedimentary rocks on the Chilkat Peninsula, southeastern Alaska
(Plafker, G., *et al.*) 6: 681-689

molybdenum *see also under* economic geology *under* Newfoundland

Montana—geochronology
Paleocene: A Rb/Sr age for the Cretaceous-Tertiary boundary (Z Coal), Hell Creek, Montana
(Baadsgaard, H., *et al.*) 5: 671-673

Morocco—geochronology
Proterozoic: Geodynamic interpretation of the Pan-African domain (late Precambrian) of the Anti-Atlas (Morocco), from geologic and geochronologic studies
(Leblanc, M., *et al.*) 1: 142-155

Morocco—tectonophysics
plate tectonics: Mobility of Morocco
(Sichler, B., *et al.*) 11: 1546-1558

mud volcanoes *see also* volcanology

nappes *see under* orientation *under* folds

New Brunswick—environmental geology
pollution: Trace metal geochemistry in sediments from the Miramichi Estuary, New Brunswick
(Willey, J. D., *et al.*) 2: 254-265

New Brunswick—geomorphology
glacial geology: Glacial geology of Grand Manan Island, New Brunswick
(Legget, R. F.) 4: 440-452

New Brunswick—stratigraphy
Ordovician: Phanerozoic flysch fossil diversity; observations based on an Ordovician flysch ichnofauna from the Aroostook-Matapedia carbonate belt of northern New Brunswick
(Pickerill, R. K.) 9: 1259-1270

New England—stratigraphy
Devonian: Paleomagnetism of Siluro-Devonian rocks from eastern Maine
(Kent, D. V., *et al.*) 12: 1653-1665

Newfoundland—economic geology
molybdenum: Geology and geochemistry of the molybdenite showings of the Ackley City Batholith, Southeast Newfoundland
(Whalen, J. B.) 9: 1246-1258
tungsten: Fluid inclusion evidence for the transport of tungsten by carbonate complexes in hydrothermal solutions
(Higgins, N. C.) 7: 823-830

Newfoundland—geochemistry
trace elements: Early Mesozoic diabase dikes of the Avalon Peninsula, Newfoundland; petrochemistry, mineralogy, and origin
(Papezik, V. S., *et al.*) 10: 1417-1430
— The Topsails igneous complex; Silurian-Devonian peralkaline magmatism in western Newfoundland
(Taylor, R. P., *et al.*) 4: 425-439

Newfoundland—geochronology
Ordovician: The age of the Roberts Arm Group, North-central Newfoundland; discussion and reply
(Dean, P. L., *et al.*) 6: 800-806
Triassic: K-Ar isochron age and paleomagnetism of diabase along the Trans-Avalon aeromagnetic lineament; evidence of Late Triassic rifting in Newfoundland
(Hodych, J. P., *et al.*) 4: 491-499

Newfoundland—paleontology
Archaeocyatha: First regular archaeocyaths from the northern Appalachians, Forteau Formation, western Newfoundland
(James, N. P., *et al.*) 12: 1609-1615

Newfoundland—petrology
metamorphic rocks: Structural and metamorphic relationships of pre-Fleur Lys and Fleur de Lys rocks of the Baie Verte Peninsula, Newfoundland
(de Wit, M. J.) 11: 1559-1575
metamorphism: The dynamothermal aureole of the Bay of Islands ophiolite suite; discussion
(McCaig, A. M., *et al.*) 8: 1119-1121
Newfoundland—stratigraphy
Cambrian: Correlation of Cambrian-Ordovician boundary between Europe and North America; new data from western Newfoundland
(Fortey, R. A., *et al.*) 3: 382-388
lithostratigraphy: Middle Ordovician Table Head Group of western Newfoundland; a revised stratigraphy
(Klappa, C. F., *et al.*) 8: 1007-1019
Ordovician: Conodonts from the Davidsville Group, northeastern Newfoundland
(Stouge, S.) 2: 268-272
— Conodonts from the Davidsville Group, northeastern Newfoundland; discussion and reply
(McKerrow, W. S., *et al.*) 11: 1599-1601
Pleistocene: Quaternary events on the Burin Peninsula, Newfoundland, and the islands of St. Pierre and Miquelon, France
(Tucker, C. M., *et al.*) 11: 1462-1479
Proterozoic: Heavy minerals and sedimentological studies on the glaciogenic late Precambrian Gaskiers Formation of Newfoundland
(Gravenor, C. P.) 10: 1331-1341
Newfoundland—tectonophysics
heat flow: Geothermal measurements in Newfoundland
(Wright, J. A., *et al.*) 10: 1370-1376
plate tectonics: Geochemistry of the upper Snooks Arm Group basalts, Burlington Peninsula, Newfoundland; evidence against formation in an island arc
(Jenner, G. A., *et al.*) 7: 888-900
— The dynamothermal aureole of the Bay of Islands ophiolite suite; discussion
(Gonzalez-Bonorino, G.) 10: 1436-1437
North America *see also* Appalachians; Canada; Great Lakes; Great Lakes region; Great Plains; Rocky Mountains
North America—geochronology
Proterozoic: Reinterpretation of the North American apparent polar wander curve for the interval 800-1500 Ma
(Berger, G. W., *et al.*) 9: 1229-1235
North America—stratigraphy
continental drift: Displacement of Vancouver Island; paleomagnetic evidence from the Karmutsen Formation
(Yole, R. W., *et al.*) 9: 1210-1228
— Paleomagnetism of Siluro-Devonian rocks from eastern Maine
(Kent, D. V., *et al.*) 12: 1653-1665
— Reinterpretation of the North American apparent polar wander curve for the interval 800-1500 Ma
(Berger, G. W., *et al.*) 9: 1229-1235
Ordovician: Correlation of Cambrian-Ordovician boundary between Europe and North America; new data from western Newfoundland
(Fortey, R. A., *et al.*) 3: 382-388
North America—tectonophysics
plate tectonics: K-Ar isochron age and paleomagnetism of diabase along the Trans-Avalon aeromagnetic lineament; evidence of Late Triassic rifting in Newfoundland
(Hodych, J. P., *et al.*) 4: 491-499
— Plate kinematics of the Denali fault system
(Stout, J. H., *et al.*) 11: 1527-1537
Northern Hemisphere *see also* Africa; Atlantic Ocean; Europe; North America; Pacific Ocean
Northwest Territories—geochronology
Proterozoic: Lead isochron dating of the Seton Formation, East Arm of Great Slave Lake, Northwest Territories
(Cumming, G. L.) 11: 1591-1593
Northwest Territories—geomorphology
glacial geology: Glacial Lake Coppermine, North-central District of Mackenzie, Northwest Territories
(St-Onge, D. A.) 9: 1310-1315
— The origin of hummocks, western Arctic coast, Canada
(Mackay, J. R.) 8: 996-1006
Northwest Territories—geophysical surveys
gravity surveys: Correlation of gravity anomalies with Yellowknife Supergroup rocks, North Arm, Great Slave Lake
(Gibb, R. A., *et al.*) 11: 1506-1516
heat flow: Temperature profiles in the Barnes ice cap, Baffin Island, Canada, and heat flux from the subglacial terrane
(Hooke, R. L., *et al.*) 9: 1174-1188
magnetic surveys: Geomagnetic depth sounding over the central Arctic Islands, Canada
(DeLaurier, J. M., *et al.*) 12: 1642-1652
Northwest Territories—paleobotany
algae: A new shale-facies microbiota from the middle Proterozoic Dismal Lakes Group, District of Mackenzie, Northwest Territories, Canada
(Horodyski, R. J., *et al.*) 9: 1166-1173
Northwest Territories—stratigraphy
Ordovician: A cluster analysis interpretation of Middle Ordovician biofacies, southern Mackenzie Mountains
(Hayes, B. J. R.) 10: 1377-1388
Proterozoic: Paleomagnetism of igneous rock from the Belcher Islands, Northwest Territories, Canada
(Schmidt, P. W.) 7: 807-822
— The paleomagnetism of the Great Slave Supergroup; the Akaitcho River Formation
(Evans, M. E., *et al.*) 10: 1389-1395
Silurian: Wenlockian graptolite reference section, Clearwater Creek, Nahanni National Park, Northwest Territories, Canada
(Lenz, A. C.) 8: 1075-1086
Northwest Territories—structural geology
structural analysis: Fold fabrics and emplacement of an Archean granitoid pluton, Cleft Lake, Northwest Territories
(Fyson, W. K.) 3: 325-332
Nova Scotia—geochemistry
isotopes: Oxygen isotope evidence for the genesis of upper Paleozoic granitoids from southwestern Nova Scotia
(Longstaffe, F. J., *et al.*) 1: 132-141
trace elements: Geochemical discriminators and the palaeotectonic environment of the North Mountain basalts, Nova Scotia
(Wark, J. M., *et al.*) 12: 1740-1745

Nova Scotia—mineralogy
framework silicates: Phillipsite altered to analcime in basal Windsor [shallow-water marine] carbonates of Mississippian age in Nova Scotia
(von Bitter, P. H., *et al.*) 8: 1096-1100
Nova Scotia—oceanography
continental shelf: Measurement and evaluation of the acoustic reflectivity of the sea floor
(Parrott, D. R., *et al.*) 6: 722-737
ocean circulation: Sediment dynamics in the macrotidal Avon River estuary, Bay of Fundy, Nova Scotia
(Lambiase, J. J.) 12: 1628-1641
Nova Scotia—paleontology
problematic fossils: A microfauna associated with Early Cambrian trilobites of the Callavia Zone, northern Antigonish Highlands, Nova Scotia
(Landing, E., *et al.*) 3: 400-418
Nova Scotia—stratigraphy
Holocene: Spatial variability of foraminifera and pollen in two nearshore sediment sites, St. Georges Bay, Nova Scotia
(Schafer, C. T., *et al.*) 3: 313-324
Mississippian: Palynology of the Windsor Group (Mississippian) in a borehole at Stewiacke, Shubenacadie Basin, Nova Scotia
(Utting, J.) 8: 1031-1045
Silurian: Storm-dominated shallow marine sediments of the Arisaig Group (Silurian-Devonian) of Nova Scotia
(Cant, D. J.) 1: 120-131
ocean circulation *see also under* oceanography *under* Nova Scotia
ocean floors *see also under* oceanography *under* Pacific Ocean
oil shale—properties
electrical properties: Radio-frequency electrical properties of Green River oil shales
(Rajeshwar, K., *et al.*) 9: 1315-1321
Ontario—geochemistry
trace elements: Further immobile element data from altered volcanic rocks, Timmins mining area, Ontario
(Davies, J. F., *et al.*) 3: 419-423
— Geochemical evolution in the Blake River Group, Abitibi greenstone belt, Superior Province
(Smith, I. E. M.) 9: 1292-1299
— Geochemistry of Archean meta-igneous rocks, Lake Despair area, Wabigoon Subprovince, northwestern Ontario
(Longstaffe, F. J., *et al.*) 8: 1046-1063
Ontario—geochronology
Archean: A Rb-Sr isotopic study of the Archean rocks of the eastern Lac Seul region, English River Subprovince, northwestern Ontario
(Wooden, J. L., *et al.*) 5: 569-576
— Two hundred and twenty million years of Archean evolution; a zircon U-Pb age stratigraphic study of the Uchi-Confederation Lakes greenstone belt, northwestern Ontario
(Nunes, P. D., *et al.*) 6: 710-721
Holocene: Archeomagnetism of a 19th century pottery kiln near Jordan, Ontario
(Dunlop, D. J., *et al.*) 9: 1275-1285
Pleistocene: Some problems of late Wisconsin history and geochronology in southeastern Ontario
(Terasmae, J.) 3: 361-381
Quaternary: The Nipissing transgression around southern Lake Huron
(Karrow, P. F.) 9: 1271-1274
Ontario—geomorphology
glacial geology: Late-glacial regional ice-flow patterns in eastern Ontario
(Gadd, N. R.) 11: 1439-1453
— Quantitative evaluation of clast fabrics within the Catfish Creek Till, Bradtville, Ontario
(May, R. W., *et al.*) 8: 1064-1074
Ontario—geophysical surveys
gravity surveys: Gravity model of the Aulneau Batholith, northwestern Ontario
(Brisbin, W. C., *et al.*) 8: 968-977
Ontario—hydrogeology
springs: Hydrochemistry of a dolomite karst; the Bruce Peninsula of Ontario
(Cowell, D. W., *et al.*) 4: 520-526
Ontario—paleontology
Echinodermata: A soft substrate community with edrioasteroids, from the Verulam Formation (Middle Ordovician) at Gamebridge, Ontario
(Waddington, J. B.) 5: 674-679
ichnofossils: Polycylindrichnus; possible Silurian tunicate burrows from southern Ontario
(Fournier, J. A., *et al.*) 6: 738-743
Ontario—petrology
intrusions: Trondhjemitic basement enclave near the Archean Favourable Lake volcanic complex, northwestern Ontario, Canada
(Hillary, E. M., *et al.*) 5: 652-667
metamorphism: Conditions of metamorphism in high-grade pelitic gneisses from the Frontenac Axis, Ontario, Canada
(Lonker, S.) 12: 1666-1684
Ontario—sedimentary petrology
reefs: Upper Ordovician (Richmondian) cavity-dwelling (coelobiontic) organisms from southern Ontario
(Kobluk, D. R.) 12: 1616-1627
sedimentary rocks: Stromatolites and fenestral fabric early Proterozoic Huronian Supergroup, Ontario
(Hofmann, H. J., *et al.*) 10: 1351-1357
Ontario—stratigraphy
Archean: Further immobile element data from altered volcanic rocks, Timmins mining area, Ontario
(Davies, J. F., *et al.*) 3: 419-423
Ordovician: Upper Ordovician (Richmondian) cavity-dwelling (coelobiontic) organisms from southern Ontario
(Kobluk, D. R.) 12: 1616-1627
Pleistocene: Late Wisconsin white spruce (Picea glauca (Moench) Voss) at Brampton, Ontario
(Terasmae, J., *et al.*) 8: 1087-1095
— Pleistocene marine kettle-fill deposits near Ottawa, Canada
(Hayward, M., *et al.*) 9: 1236-1245
Proterozoic: Stratigraphy and depositional setting of the Sibley Group, Thunder Bay District, Ontario, Canada
(Franklin, J. M., *et al.*) 5: 633-651
— The Flinton Group; a late Precambrian metasedimentary succession in the Grenville Province of eastern Ontario
(Moore, J. M., Jr., *et al.*) 12: 1685-1707

Ontario—structural geology
tectonics: An inverted Archean succession at Rainy Lake, Ontario
(Poulsen, K. H., *et al.*) 10: 1358-1369
— The origin and history of the Kapuskasing structural zone, Ontario, Canada
(Watson, J.) 7: 866-875

ophiolite *see under* ultramafic family *under* igneous rocks

Ordovician *see also under* geochronology *under* Newfoundland; *see also under* stratigraphy *under* Appalachians; New Brunswick; Newfoundland; North America; Northwest Territories; Ontario; Quebec; Yukon Territory

ore guides *see under* mineral exploration

Oregon—stratigraphy
Jurassic: Correlation of the members of the Jurassic Snowshoe Formation in the Izee Basin of East-central Oregon
(Smith, P. L.) 12: 1603-1608

organic materials *see also* oil shale

orogeny—absolute age
Hudsonian Orogeny: The age and geological history of the Wollaston, Peter Lake, and Rottenstone domains in northern Saskatchewan
(Ray, G. E., *et al.*) 3: 333-347
Kenoran Orogeny: The 2.5 Ga Duxbury Massif, Quebec; a remobilized piece of pre-3.0 Ga sialic basement(?)
(Verpaelst, P., *et al.*) 1: 1-18
— Two hundred and twenty million years of Archean evolution; a zircon U-Pb age stratigraphic study of the Uchi-Confederation Lakes greenstone belt, northwestern Ontario
(Nunes, P. D., *et al.*) 6: 710-721
Pan-African Orogeny: Geodynamic interpretation of the Pan-African domain (late Precambrian) of the Anti-Atlas (Morocco), from geologic and geochronologic studies
(Leblanc, M., *et al.*) 1: 142-155

orogeny—evolution
Pan-African Orogeny: Gravity anomalies along the Niger River curve (Mali); their significance within the framework of the Pan-African Orogeny
(Lesquer, A., *et al.*) 11: 1538-1545
Taconic Orogeny: Provenance and deposition model of the Nicolet River Formation; Taconic flysch of the autochthonous and external domains of the Quebec Appalachians
(Beaulieu, J., *et al.*) 7: 855-865

orogeny—extent
Avalonian Orogeny: A microfauna associated with Early Cambrian trilobites of the Callavia Zone, northern Antigonish Highlands, Nova Scotia
(Landing, E., *et al.*) 3: 400-418
Grenvillian Orogeny: The position of the Grenville Front in eastern and central Labrador
(Gower, C. F., *et al.*) 6: 784-788

orogeny—periodicity
Grenvillian Orogeny: The Flinton Group; a late Precambrian metasedimentary succession in the Grenville Province of eastern Ontario
(Moore, J. M., Jr., *et al.*) 12: 1685-1707

Ostracoda—biostratigraphy
Ordovician: A cluster analysis interpretation of Middle Ordovician biofacies, southern Mackenzie Mountains
(Hayes, B. J. R.) 10: 1377-1388

oxygen—isotopes
O-18/O-16: Labrador Sea bio-, tephro-, oxygen isotopic stratigraphy and late Quaternary paleoceanographic trends
(Fillon, R. H., *et al.*) 7: 831-854
— Oxygen isotope evidence for the genesis of upper Paleozoic granitoids from southwestern Nova Scotia
(Longstaffe, F. J., *et al.*) 1: 132-141

Pacific Ocean—geophysical surveys
seismic surveys: The Apollo Structure in Tofino Basin, Canadian Pacific continental shelf
(Yorath, C. J.) 6: 758-775

Pacific Ocean—oceanography
ocean floors: The Dellwood Knolls and their role in triple junction tectonics off northern Vancouver Island
(Riddihough, R. P., *et al.*) 5: 577-593

Pacific Ocean—tectonophysics
sea-floor spreading: The Dellwood Knolls and their role in triple junction tectonics off northern Vancouver Island
(Riddihough, R. P., *et al.*) 5: 577-593

Paleocene *see also under* geochronology *under* Montana

paleoclimatology—Holocene
Prince Edward Island: Holocene vegetation and climatic history of Prince Edward Island, Canada
(Anderson, T. W.) 9: 1152-1165

paleoclimatology—Paleozoic
Brazil: Chattermarked garnets and heavy minerals from the late Paleozoic glacial deposits of southeastern Brazil
(Gravenor, C. P.) 1: 156-159

paleoclimatology—Proterozoic
Newfoundland: Heavy minerals and sedimentological studies on the glaciogenic late Precambrian Gaskiers Formation of Newfoundland
(Gravenor, C. P.) 10: 1331-1341
Ontario: Stratigraphy and depositional setting of the Sibley Group, Thunder Bay District, Ontario, Canada
(Franklin, J. M., *et al.*) 5: 633-651

paleoclimatology—Quaternary
Atlantic Ocean: Labrador Sea bio-, tephro-, oxygen isotopic stratigraphy and late Quaternary paleoceanographic trends
(Fillon, R. H., *et al.*) 7: 831-854
Iowa: Two pollen diagrams from Quaternary deposits in East-central Iowa, U.S.A.
(Szabo, J. P.) 4: 453-458

paleoclimatology—Triassic
Atlantic region: Upper Triassic salt deposits of the western North Atlantic
(Jansa, L. F., *et al.*) 5: 547-559

paleoecology—Coelenterata
Ordovician: Borings in solitary rugose corals of the Selkirk Member, Red River Formation (late Middle or Upper Ordovician), southern Manitoba
(Elias, R. J.) 2: 272-277

paleoecology—Echinodermata
Ordovician: A soft substrate community with edrioasteroids, from the Verulam Formation (Middle Ordovician) at Gamebridge, Ontario
(Waddington, J. B.) 5: 674-679

paleoecology—Holocene
Nova Scotia: Spatial variability of foraminifera and pollen in two nearshore sediment sites, St. Georges Bay, Nova Scotia
(Schafer, C. T., *et al.*) 3: 313-324
Prince Edward Island: Holocene vegetation and climatic history of Prince Edward Island, Canada
(Anderson, T. W.) 9: 1152-1165

paleoecology—ichnofossils
Ordovician: Phanerozoic flysch fossil diversity; observations based on an Ordovician flysch ichnofauna from the Aroostook-Matapedia carbonate belt of northern New Brunswick
(Pickerill, R. K.) 9: 1259-1270

paleoecology—Mammalia
Pleistocene: Pleistocene mammals from Lost Chicken Creek, Alaska
(Harington, C. R.) 2: 168-198
— Pleistocene peccary, Platygonus compressus Le Conte, from Yukon Territory, Canada
(Beebe, B. F.) 9: 1204-1209

paleoecology—Ordovician
Northwest Territories: A cluster analysis interpretation of Middle Ordovician biofacies, southern Mackenzie Mountains
(Hayes, B. J. R.) 10: 1377-1388
Ontario: Upper Ordovician (Richmondian) cavity-dwelling (coelobiontic) organisms from southern Ontario
(Kobluk, D. R.) 12: 1616-1627

paleoecology—Quaternary
Iowa: Two pollen diagrams from Quaternary deposits in East-central Iowa, U.S.A.
(Szabo, J. P.) 4: 453-458

paleogeography—Proterozoic
British Columbia: Stratigraphy, sedimentology, and regional correlation of the Horsethief Creek Group (Hadrynian, late Precambrian) in the northern Purcell and Selkirk Mountains, British Columbia
(Poulton, T. P., *et al.*) 12: 1708-1724

paleogeography—Triassic
Atlantic region: Upper Triassic salt deposits of the western North Atlantic
(Jansa, L. F., *et al.*) 5: 547-559
North America: Displacement of Vancouver Island; paleomagnetic evidence from the Karmutsen Formation
(Yole, R. W., *et al.*) 9: 1210-1228

paleomagnetism—applications
continental drift: Mobility of Morocco
(Sichler, B., *et al.*) 11: 1546-1558
intrusions: Positive test of the paleomagnetic method for estimating burial depth using a dike contact
(Symons, D. T. A., *et al.*) 6: 690-697

paleomagnetism—Eocene
Virginia: Paleomagnetism of Eocene igneous intrusions in the Valley and Ridge Province, Virginia and West Virginia
(Ressetar, R., *et al.*) 11: 1583-1588

paleomagnetism—Holocene
Ontario: Archeomagnetism of a 19th century pottery kiln near Jordan, Ontario
(Dunlop, D. J., *et al.*) 9: 1275-1285

paleomagnetism—interpretation
remagnetization: Deep Drill 1972; a paleomagnetic study of the Bermuda Seamount
(Rice, P. D., *et al.*) 2: 232-243

paleomagnetism—Mesozoic
Newfoundland: Early Mesozoic diabase dikes of the Avalon Peninsula, Newfoundland; petrochemistry, mineralogy, and origin
(Papezik, V. S., *et al.*) 10: 1417-1430

paleomagnetism—Paleozoic
Maine: Paleomagnetism of Siluro-Devonian rocks from eastern Maine
(Kent, D. V., *et al.*) 12: 1653-1665

paleomagnetism—Proterozoic
North America: Reinterpretation of the North American apparent polar wander curve for the interval 800-1500 Ma
(Berger, G. W., *et al.*) 9: 1229-1235
Northwest Territories: Paleomagnetism of igneous rock from the Belcher Islands, Northwest Territories, Canada
(Schmidt, P. W.) 7: 807-822
— The paleomagnetism of the Great Slave Supergroup; the Akaitcho River Formation
(Evans, M. E., *et al.*) 10: 1389-1395

paleomagnetism—Triassic
British Columbia: Displacement of Vancouver Island; paleomagnetic evidence from the Karmutsen Formation
(Yole, R. W., *et al.*) 9: 1210-1228
— Paleomagnetism of the Karmutsen basalts from Southeast Vancouver Island
(Schwarz, E. J., *et al.*) 3: 389-399
Newfoundland: K-Ar isochron age and paleomagnetism of diabase along the Trans-Avalon aeromagnetic lineament; evidence of Late Triassic rifting in Newfoundland
(Hodych, J. P., *et al.*) 4: 491-499

Paleozoic *see also under* stratigraphy *under* Atlantic region; British Columbia; Massachusetts

palynomorphs—biostratigraphy
Cretaceous: A Rb/Sr age for the Cretaceous-Tertiary boundary (Z Coal), Hell Creek, Montana
(Baadsgaard, H., *et al.*) 5: 671-673
Triassic: Upper Triassic salt deposits of the western North Atlantic
(Jansa, L. F., *et al.*) 5: 547-559

palynomorphs—floral studies
Ordovician: Upper Ordovician chitinozoans and acritarchs from the White Head Formation, Gaspe Peninsula, Quebec
(Martin, F.) 1: 106-119

palynomorphs—miospores
Holocene: Holocene vegetation and climatic history of Prince Edward Island, Canada
(Anderson, T. W.) 9: 1152-1165
— Spatial variability of foraminifera and pollen in two nearshore sediment sites, St. Georges Bay, Nova Scotia
(Schafer, C. T., *et al.*) 3: 313-324
Mississippian: Palynology of the Windsor Group (Mississippian) in a borehole at Stewiacke, Shubenacadie Basin, Nova Scotia
(Utting, J.) 8: 1031-1045
Pleistocene: Late Wisconsin white spruce (Picea glauca (Moench) Voss) at Brampton, Ontario
(Terasmae, J., *et al.*) 8: 1087-1095

— Some problems of late Wisconsin history and geochronology in southeastern Ontario
(Terasmae, J.) 3: 361-381
Quaternary: Two pollen diagrams from Quaternary deposits in East-central Iowa, U.S.A.
(Szabo, J. P.) 4: 453-458

periglacial features *see under* glacial geology

Permian *see also under* stratigraphy *under* China

petrology—classification
igneous rocks: A modified norm calculation
(Currie, K. L.) 10: 1342-1350

Phanerozoic—paleontology
ichnofossils: Phanerozoic flysch fossil diversity; observations based on an Ordovician flysch ichnofauna from the Aroostook-Matapedia carbonate belt of northern New Brunswick
(Pickerill, R. K.) 9: 1259-1270

phase equilibria—metavolcanic rocks
phase diagrams: The Proterozoic ultramafic and mafic lavas and tuffs of the Dalma greenstone belt, Singhbhum, eastern India
(Gupta, A., *et al.*) 2: 210-231

phase equilibria—mineral assemblages
P-T conditions: Conditions of metamorphism in high-grade pelitic gneisses from the Frontenac Axis, Ontario, Canada
(Lonker, S.) 12: 1666-1684

Pisces—Osteichthyes
Paleocene: Oldest known Esox (Pisces; Esocidae), part of a new Paleocene teleost fauna from western Canada
(Wilson, M. V. H.) 3: 307-312

Plantae *see also* algae; gymnosperms; ichnofossils; palynomorphs; problematic fossils

plate tectonics *see also under* tectonophysics *under* Africa; Appalachians; Atlantic Ocean; British Columbia; Canadian Shield; Europe; Morocco; Newfoundland; North America

plate tectonics—structure
continental margin: Buried ocean crust and continental crust geomagnetic induction anomalies; a possible association
(Drury, M. J., *et al.*) 8: 961-967

Pleistocene *see also under* geochronology *under* Ontario; Saskatchewan; *see also under* stratigraphy *under* Alberta; Great Lakes region; Manitoba; Midwest; Newfoundland; Ontario

plutons *see under* intrusions

pollution *see also under* environmental geology *under* Alberta; Maritime Provinces; New Brunswick; Quebec

polymetallic ores *see also under* economic geology *under* Yukon Territory

Precambrian *see also under* geochronology *under* Quebec; Saskatchewan

Prince Edward Island—stratigraphy
Holocene: Holocene vegetation and climatic history of Prince Edward Island, Canada
(Anderson, T. W.) 9: 1152-1165

problematic fossils—faunal studies
Cambrian: A microfauna associated with Early Cambrian trilobites of the Callavia Zone, northern Antigonish Highlands, Nova Scotia
(Landing, E., *et al.*) 3: 400-418

Proterozoic *see also under* geochronology *under* France; Morocco; North America; Northwest Territories; *see also under* stratigraphy *under* British Columbia; Canadian Shield; Newfoundland; Northwest Territories; Ontario

Quaternary *see also under* geochronology *under* Ontario; *see also under* stratigraphy *under* Atlantic Ocean; Iowa

Quebec—environmental geology
pollution: Trace metal speciation in the Yamaska and St. Francois rivers (Quebec)
(Tessier, A., *et al.*) 1: 90-105

Quebec—geochemistry
trace elements: Trace metal speciation in the Yamaska and St. Francois rivers (Quebec)
(Tessier, A., *et al.*) 1: 90-105

Quebec—geochronology
Archean: The Rb/Sr geochronology of the Archean Chibougamau Pluton, Quebec
(Brooks, C.) 6: 776-783
Precambrian: Aphebian overprinting in the Superior Province east of James Bay, Quebec
(Brooks, C.) 4: 526-532
— The 2.5 Ga Duxbury Massif, Quebec; a remobilized piece of pre-3.0 Ga sialic basement(?)
(Verpaelst, P., *et al.*) 1: 1-18

Quebec—geophysical surveys
seismic surveys: Crustal studies in the La Malbaie region, Quebec
(Lyons, J. A., *et al.*) 4: 478-490

Quebec—hydrogeology
hydrology: Total alkalinity as a mixing index in an estuarine environment
(Pelletier, E., *et al.*) 8: 978-984

Quebec—paleontology
Coelenterata: Halysitid corals from Silurian and Devonian rocks of Quebec
(Wright, A. J., *et al.*) 6: 788-796

Quebec—petrology
metamorphic rocks: An Archean ultramafic turbidite from Lac Guyer, James Bay area, Quebec, Canada
(Stamatelopoulou-Seymour, K., *et al.*) 11: 1576-1582

Quebec—sedimentary petrology
sedimentation: The ^{210}Pb and ^{137}Cs profiles in sediment cores from lakes Matagami and Quevillon, Northwest Quebec, Canada
(Durham, R. W., *et al.*) 12: 1746-1750

Quebec—seismology
crust: Crustal studies in the La Malbaie region, Quebec
(Lyons, J. A., *et al.*) 4: 478-490
earthquakes: Gravitationally induced stresses at structural boundaries
(Goodacre, A. K., *et al.*) 9: 1286-1291

Quebec—stratigraphy
Ordovician: Provenance and deposition model of the Nicolet River Formation; Taconic flysch of the autochthonous and external domains of the Quebec Appalachians
(Beaulieu, J., *et al.*) 7: 855-865
— Upper Ordovician chitinozoans and acritarchs from the White Head Formation, Gaspe Peninsula, Quebec
(Martin, F.) 1: 106-119

radioactive dating *see* absolute age

Radiolaria—biostratigraphy
Quaternary: Labrador Sea bio-, tephro-, oxygen isotopic stratigraphy and late Quaternary paleoceanographic trends
(Fillon, R. H., *et al.*) 7: 831-854

rare earths—abundance
metavolcanic rocks: Geochemical evolution in the Blake River Group, Abitibi greenstone belt, Superior Province (Smith, I. E. M.) 9: 1292-1299
porphyry: Multiple-stage hydrothermal alteration in porphyry copper systems in northern Turkey; the temporal interplay of potassic, propylitic, and phyllic fluids (Taylor, R. P., *et al.*) 7: 901-926
tholeiite: Geochemistry of the upper Snooks Arm Group basalts, Burlington Peninsula, Newfoundland; evidence against formation in an island arc (Jenner, G. A., *et al.*) 7: 888-900

reefs *see also under* sedimentary petrology *under* Ontario

regional geology *see* areal geology under the appropriate area term

remote sensing *see also* geophysical methods; *see also under* geophysical surveys *under* Canada

Reptilia—Lepidosauria
Permian: A new younginid (Reptilia; Eosuchia) from the Upper Permian of Madagascar (Currie, P. J.) 4: 500-511

rock mechanics *see also* soil mechanics

rock mechanics—materials, properties
granite: Selective weathering of granitic clasts; discussion (Winkler, E. M.) 7: 956
oil shale: Radio-frequency electrical properties of Green River oil shales (Rajeshwar, K., *et al.*) 9: 1315-1321

Rocky Mountains—economic geology
coal: Spontaneous carbonization of oxidized high-volatile coal by a lightning strike (Pearson, D. E., *et al.*) 1: 36-42

Rocky Mountains—geomorphology
mass movements: A rock labyrinth in the Front Ranges of the Rockies, Alberta (Simmons, J. V., *et al.*) 9: 1300-1309

Rocky Mountains—paleontology
Invertebrata: Macgowanella gen. nov., possible bryozoan holdfasts, Mississippian of southern Canadian Rocky Mountains, Alberta (Nelson, S. J., *et al.*) 10: 1431-1435

sandstone *see also under* clastic rocks *under* sedimentary rocks

Saskatchewan—geochronology
Pleistocene: The Wisconsinan deglaciation of southern Saskatchewan and adjacent areas; discussion and reply (Teller, J. T., *et al.*) 4: 539-541
Precambrian: The age and geological history of the Wollaston, Peter Lake, and Rottenstone domains in northern Saskatchewan (Ray, G. E., *et al.*) 3: 333-347

Saskatchewan—geomorphology
glacial geology: The Wisconsinan deglaciation of southern Saskatchewan and adjacent areas; discussion (St-Onge, D. A.) 2: 287-288

Saskatchewan—geophysical surveys
seismic surveys: Cooperative seismic surveys across the Superior-Churchill boundary zone in southern Canada (Green, A. G., *et al.*) 5: 617-632

Saskatchewan—paleontology
Mammalia: First record of Mesozoic mammals from Saskatchewan (Johnston, P. A.) 4: 512-519
Pisces: Oldest known Esox (Pisces; Esocidae), part of a new Paleocene teleost fauna from western Canada (Wilson, M. V. H.) 3: 307-312

schistosity *see under* foliation *under* structural analysis

sea-floor spreading *see also under* tectonophysics *under* Atlantic Ocean; Pacific Ocean

sea water—geochemistry
alkalinity: Total alkalinity as a mixing index in an estuarine environment (Pelletier, E., *et al.*) 8: 978-984

sedimentary petrology—techniques
sample preparation: Impregnation technique using colored epoxy to define porosity in petrographic thin sections (Gardner, K. L.) 8: 1104-1107

sedimentary rocks *see also* sedimentary structures; sedimentation; sediments

sedimentary rocks—carbonate rocks
dolostone: Stromatolites and fenestral fabric early Proterozoic Huronian Supergroup, Ontario (Hofmann, H. J., *et al.*) 10: 1351-1357
mineral composition: Phillipsite altered to analcime in basal Windsor [shallow-water marine] carbonates of Mississippian age in Nova Scotia (von Bitter, P. H., *et al.*) 8: 1096-1100

sedimentary rocks—chemically precipitated rocks
halite: Upper Triassic salt deposits of the western North Atlantic (Jansa, L. F., *et al.*) 5: 547-559

sedimentary rocks—clastic rocks
environmental analysis: Storm-dominated shallow marine sediments of the Arisaig Group (Silurian-Devonian) of Nova Scotia (Cant, D. J.) 1: 120-131
flysch: Provenance and deposition model of the Nicolet River Formation; Taconic flysch of the autochthonous and external domains of the Quebec Appalachians (Beaulieu, J., *et al.*) 7: 855-865
lithostratigraphy: Stratigraphy, sedimentology, and regional correlation of the Horsethief Creek Group (Hadrynian, late Precambrian) in the northern Purcell and Selkirk Mountains, British Columbia (Poulton, T. P., *et al.*) 12: 1708-1724
Proterozoic: Heavy minerals and sedimentological studies on the glaciogenic late Precambrian Gaskiers Formation of Newfoundland (Gravenor, C. P.) 10: 1331-1341
red beds: Stratigraphy and depositional setting of the Sibley Group, Thunder Bay District, Ontario, Canada (Franklin, J. M., *et al.*) 5: 633-651
sandstone: Eolian coastal dune deposits and surrounding marine sandstones, Rocky Mountain Supergroup (Lower Pennsylvanian), southeastern British Columbia (Stewart, W. D., *et al.*) 9: 1125-1140
tillite: Chattermarked garnets and heavy minerals from the late Paleozoic glacial deposits of southeastern Brazil (Gravenor, C. P.) 1: 156-159

— The nature of the late Paleozoic glaciation in Gondwana as determined from an analysis of garnets and other heavy minerals; discussion and reply
(Howie, R. A., *et al.*) 7: 957-959

sedimentary rocks—lithostratigraphy
Ordovician: Middle Ordovician Table Head Group of western Newfoundland; a revised stratigraphy
(Klappa, C. F., *et al.*) 8: 1007-1019

sedimentary structures *see also* sedimentary rocks; sediments

sedimentary structures—biogenic structures
stromatolites: Stromatolites and fenestral fabric early Proterozoic Huronian Supergroup, Ontario
(Hofmann, H. J., *et al.*) 10: 1351-1357

sedimentary structures—environmental analysis
glacial environment: Heavy minerals and sedimentological studies on the glaciogenic late Precambrian Gaskiers Formation of Newfoundland
(Gravenor, C. P.) 10: 1331-1341
intertidal environment: Sediment dynamics in the macrotidal Avon River estuary, Bay of Fundy, Nova Scotia
(Lambiase, J. J.) 12: 1628-1641
shelf environment: Storm-dominated shallow marine sediments of the Arisaig Group (Silurian-Devonian) of Nova Scotia
(Cant, D. J.) 1: 120-131

sedimentary structures—interpretation
wind transport: Eolian coastal dune deposits and surrounding marine sandstones, Rocky Mountain Supergroup (Lower Pennsylvanian), southeastern British Columbia
(Stewart, W. D., *et al.*) 9: 1125-1140

sedimentation—controls
tectonic controls: The Flinton Group; a late Precambrian metasedimentary succession in the Grenville Province of eastern Ontario
(Moore, J. M., Jr., *et al.*) 12: 1685-1707

sedimentation—deposition
kettles: Pleistocene marine kettle-fill deposits near Ottawa, Canada
(Hayward, M., *et al.*) 9: 1236-1245

sedimentation—diagenesis
shallow-water environment: Phillipsite altered to analcime in basal Windsor [shallow-water marine] carbonates of Mississippian age in Nova Scotia
(von Bitter, P. H., *et al.*) 8: 1096-1100

sedimentation—environment
braided streams: Anastomosed river deposits; modern and ancient examples in Alberta, Canada
(Smith, D. G., *et al.*) 10: 1396-1406
glacial environment: Late Wisconsinan glacial stratigraphy and history of southeastern Manitoba
(Teller, J. T., *et al.*) 1: 19-35
shallow-water environment: Stratigraphy and depositional setting of the Sibley Group, Thunder Bay District, Ontario, Canada
(Franklin, J. M., *et al.*) 5: 633-651
shelf environment: Storm-dominated shallow marine sediments of the Arisaig Group (Silurian-Devonian) of Nova Scotia
(Cant, D. J.) 1: 120-131

sedimentation—processes
bioturbation: Stromatolites and fenestral fabric early Proterozoic Huronian Supergroup, Ontario
(Hofmann, H. J., *et al.*) 10: 1351-1357
flocculation: Experiments on the significance of flocculation in the settling of fine-grained sediment in still water
(Kranck, K.) 11: 1517-1526

sedimentation—provenance
flysch: Provenance and deposition model of the Nicolet River Formation; Taconic flysch of the autochthonous and external domains of the Quebec Appalachians
(Beaulieu, J., *et al.*) 7: 855-865
heavy minerals: Heavy minerals in stream sediments from Churchill Falls, Labrador; an aid in bedrock mapping
(Callahan, J. E.) 2: 244-253
— The geochronology of some stratified metamorphic rocks in northeastern Massachusetts
(Olszewski, W. J., Jr.) 10: 1407-1416
— The nature of the late Paleozoic glaciation in Gondwana as determined from an analysis of garnets and other heavy minerals; discussion and reply
(Howie, R. A., *et al.*) 7: 957-959
indicators: Stratigraphy, sedimentology, and regional correlation of the Horsethief Creek Group (Hadrynian, late Precambrian) in the northern Purcell and Selkirk Mountains, British Columbia
(Poulton, T. P., *et al.*) 12: 1708-1724

sedimentation—rates
lakes: The ^{210}Pb and ^{137}Cs profiles in sediment cores from lakes Matagami and Quevillon, Northwest Quebec, Canada
(Durham, R. W., *et al.*) 12: 1746-1750
nearshore environment: Spatial variability of foraminifera and pollen in two nearshore sediment sites, St. Georges Bay, Nova Scotia
(Schafer, C. T., *et al.*) 3: 313-324

sedimentation—transport
glacial transport: Chattermarked garnets and heavy minerals from the late Paleozoic glacial deposits of southeastern Brazil
(Gravenor, C. P.) 1: 156-159
— Heavy minerals and sedimentological studies on the glaciogenic late Precambrian Gaskiers Formation of Newfoundland
(Gravenor, C. P.) 10: 1331-1341
— Quantitative evaluation of clast fabrics within the Catfish Creek Till, Bradtville, Ontario
(May, R. W., *et al.*) 8: 1064-1074
— The nature of the late Paleozoic glaciation in Gondwana as determined from an analysis of garnets and other heavy minerals; discussion and reply
(Bull, P. A., *et al.*) 2: 282-287
marine transport: Sediment dynamics in the macrotidal Avon River estuary, Bay of Fundy, Nova Scotia
(Lambiase, J. J.) 12: 1628-1641
turbidity currents: An Archean ultramafic turbidite from Lac Guyer, James Bay area, Quebec, Canada
(Stamatelopoulou-Seymour, K., *et al.*) 11: 1576-1582
wind transport: Eolian coastal dune deposits and surrounding marine sandstones, Rocky Mountain Supergroup (Lower Pennsylvanian), southeastern British Columbia
(Stewart, W. D., *et al.*) 9: 1125-1140

sediments *see also* sedimentary rocks; sedimentary structures; sedimentation
sediments—clastic sediments
gravel: The ellipsoidal form of clasts with practical applications to fabric and size analyses of fluvial gravels (Koster, E. H., *et al.*) 12: 1725-1739
lithofacies: Pleistocene marine kettle-fill deposits near Ottawa, Canada (Hayward, M., *et al.*) 9: 1236-1245
loess: Pedogenesis and tephrochronology of loess derived soils, Hinton, Alberta (Dumanski, J., *et al.*) 1: 52-59
till: Geology and origin of the Brandon Hills, Southwest Manitoba (Welsted, J., *et al.*) 7: 942-951
— Glacial history and stratigraphy of the Alberta portion of the Kananaskis Lakes map area (Jackson, L. E., Jr.) 4: 459-477
— Late Wisconsinan glacial stratigraphy and history of southeastern Manitoba (Teller, J. T., *et al.*) 1: 19-35
— Quantitative evaluation of clast fabrics within the Catfish Creek Till, Bradtville, Ontario (May, R. W., *et al.*) 8: 1064-1074
— Quaternary events on the Burin Peninsula, Newfoundland, and the islands of St. Pierre and Miquelon, France (Tucker, C. M., *et al.*) 11: 1462-1479
volcanic ash: Bridge River tephra; revised distribution and significance for detecting old carbon errors in radiocarbon dates of limnic sediments in southern British Columbia (Mathewes, R. W., *et al.*) 11: 1454-1461
sediments—environmental analysis
braided streams: Anastomosed river deposits; modern and ancient examples in Alberta, Canada (Smith, D. G., *et al.*) 10: 1396-1406
nearshore environment: Spatial variability of foraminifera and pollen in two nearshore sediment sites, St. Georges Bay, Nova Scotia (Schafer, C. T., *et al.*) 3: 313-324
sediments—geochemistry
trace elements: Trace metal geochemistry in sediments from the Miramichi Estuary, New Brunswick (Willey, J. D., *et al.*) 2: 254-265
sediments—properties
acoustical properties: Measurement and evaluation of the acoustic reflectivity of the sea floor (Parrott, D. R., *et al.*) 6: 722-737
sediments—textures
grain size: Experiments on the significance of flocculation in the settling of fine-grained sediment in still water (Kranck, K.) 11: 1517-1526
seismic surveys *see under* geophysical surveys *under* Atlantic Ocean; British Columbia; Manitoba; Pacific Ocean; Quebec; Saskatchewan
seismology—crust
structure: Delineation of geologic contacts by seismic refraction with application to the fault zone between the Thompson nickel belt and the Churchill tectonic province (Green, A. G.) 9: 1141-1151
velocity structure: Cooperative seismic surveys across the Superior-Churchill boundary zone in southern Canada (Green, A. G., *et al.*) 5: 617-632
— Crustal studies in the La Malbaie region, Quebec (Lyons, J. A., *et al.*) 4: 478-490
seismology—seismicity
seismotectonics: Gravitationally induced stresses at structural boundaries (Goodacre, A. K., *et al.*) 9: 1286-1291
shale oil *see* oil shale
shore features *see under* geomorphology
Silurian *see also under* stratigraphy *under* Maine; Northwest Territories; Nova Scotia
slope stability *see also* geomorphology; *see also under* engineering geology *under* British Columbia
soil mechanics *see also* rock mechanics
soil mechanics—materials, properties
sediments: Measurement and evaluation of the acoustic reflectivity of the sea floor (Parrott, D. R., *et al.*) 6: 722-737
soils—surveys
Alberta: An early Holocene solodic Paleosol near Priddis, Alberta (Sanborn, P., *et al.*) 10: 1323-1330
— Pedogenesis and tephrochronology of loess derived soils, Hinton, Alberta (Dumanski, J., *et al.*) 1: 52-59
— Pedogenesis and tephrochronology of loess derived soils, Hinton, Alberta; discussion (Westgate, J. A.) 8: 1122
South America *see also* Brazil
Southern Hemisphere *see also* Africa; Atlantic Ocean; Pacific Ocean
spectrometry *see* spectroscopy
spectroscopy—techniques
applications: Determination of radioactive disequilibrium in uranium-bearing rocks; discussion and reply (Lewis, T. J., *et al.*) 8: 1114-1119
springs *see also* ground water; *see also under* hydrogeology *under* Ontario
stratigraphy—nomenclature
Proterozoic: Revised stratigraphic nomenclature for Aphebian and other rock units, southern Labrador Trough, Grenville Province (Rivers, T.) 5: 668-670
strontium—isotopes
Sr-87/Sr-86: A Rb-Sr isotopic study of the Archean rocks of the eastern Lac Seul region, English River Subprovince, northwestern Ontario (Wooden, J. L., *et al.*) 5: 569-576
— The 2.5 Ga Duxbury Massif, Quebec; a remobilized piece of pre-3.0 Ga sialic basement(?) (Verpaelst, P., *et al.*) 1: 1-18
structural analysis *see also* folds; foliation
structural analysis—folds
evolution: An inverted Archean succession at Rainy Lake, Ontario (Poulsen, K. H., *et al.*) 10: 1358-1369
structural analysis—foliation
schistosity: The structural and metamorphic history of the Taconic unconformity in western Massachusetts; discussion (Hatch, N. L., Jr., *et al.*) 4: 542-545
— The structural and metamorphic history of the Taconic unconformity in western Massachusetts; reply (Uzuakpunwa, A. B., *et al.*) 8: 1122-1124

structural analysis—interpretation
interference patterns: Fold fabrics and emplacement of an Archean granitoid pluton, Cleft Lake, Northwest Territories (Fyson, W. K.) 3: 325-332
— Structural and stratigraphic setting of the Downie Slide, Columbia River valley, British Columbia (Brown, R. L., *et al.*) 6: 698-709
petrofabrics: Structural and metamorphic relationships of pre-Fleur Lys and Fleur de Lys rocks of the Baie Verte Peninsula, Newfoundland (de Wit, M. J.) 11: 1559-1575

structural geology—methods
graphic methods: Simple graphical methods for estimating the confidence region about the orientation of the intersection of two planes; discussion and reply (McFadden, P. L., *et al.*) 8: 1111-1114

structural petrology *see* structural analysis

tectonics *see also* faults; folds; orogeny; structural analysis; *see also under* structural geology *under* Alaska; British Columbia; Canadian Shield; Mali; Ontario; Yukon Territory

tectonics—vertical tectonics
models: A model for Archean tectonism; Part 2, Numerical models of vertical tectonism in greenstone belts (Mareschal, J. C., *et al.*) 1: 60-71

tephrochronology *see under* geochronology

thermoluminescence *see under* geochronology

trace elements *see under* geochemistry *under* British Columbia; Canadian Shield; France; igneous rocks; lava; metamorphic rocks; Newfoundland; Nova Scotia; Ontario; Quebec; sediments

Triassic *see also under* geochronology *under* Newfoundland; *see also under* stratigraphy *under* Alaska; Atlantic Ocean; British Columbia; Far East

Trilobita—biostratigraphy
Cambrian: A microfauna associated with Early Cambrian trilobites of the Callavia Zone, northern Antigonish Highlands, Nova Scotia (Landing, E., *et al.*) 3: 400-418
— Correlation of Cambrian-Ordovician boundary between Europe and North America; new data from western Newfoundland (Fortey, R. A., *et al.*) 3: 382-388
Ordovician: A cluster analysis interpretation of Middle Ordovician biofacies, southern Mackenzie Mountains (Hayes, B. J. R.) 10: 1377-1388

tungsten *see also under* economic geology *under* Newfoundland

Turkey—economic geology
copper: Multiple-stage hydrothermal alteration in porphyry copper systems in northern Turkey; the temporal interplay of potassic, propylitic, and phyllic fluids (Taylor, R. P., *et al.*) 7: 901-926

underground water *see* ground water

United States *see also* the individual states and regions

uranium—exploration
radioactivity methods: Determination of radioactive disequilibrium in uranium-bearing rocks; discussion and reply (Lewis, T. J., *et al.*) 8: 1114-1119

varves *see* lacustrine features *under* geomorphology

Vertebrata *see also* Aves; ichnofossils; Mammalia; Pisces; problematic fossils; Reptilia

Virginia—stratigraphy
Eocene: Paleomagnetism of Eocene igneous intrusions in the Valley and Ridge Province, Virginia and West Virginia (Ressetar, R., *et al.*) 11: 1583-1588

volcanism *see under* volcanology

volcanology—volcanism
periodicity: Two hundred and twenty million years of Archean evolution; a zircon U-Pb age stratigraphic study of the Uchi-Confederation Lakes greenstone belt, northwestern Ontario (Nunes, P. D., *et al.*) 6: 710-721
volcanic belts: Geology of the Coquihalla volcanic complex, southwestern British Columbia (Berman, R. G., *et al.*) 8: 985-995

weathering—igneous rocks
granite: Selective weathering of granitic clasts; discussion (Winkler, E. M.) 7: 956

West Virginia—stratigraphy
Eocene: Paleomagnetism of Eocene igneous intrusions in the Valley and Ridge Province, Virginia and West Virginia (Ressetar, R., *et al.*) 11: 1583-1588

Western Hemisphere *see also* Atlantic Ocean; North America; Pacific Ocean

X-ray analysis—methods
applications: Determination of radioactive disequilibrium in uranium-bearing rocks; discussion and reply (Lewis, T. J., *et al.*) 8: 1114-1119

Yukon Territory—economic geology
coal: Preliminary analysis of a gravity profile across the Bonnet Plume Basin, Yukon Territory, Canada; an aid to coal basin evaluation (Sobczak, L. W., *et al.*) 1: 43-51
polymetallic ores: Age of Ag-Pb-Zn mineralization, Keno Hill - Galena Hill area, Yukon Territory (Sinclair, A. J., *et al.*) 8: 1110-1103

Yukon Territory—geochronology
Cretaceous: Age of Ag-Pb-Zn mineralization, Keno Hill - Galena Hill area, Yukon Territory (Sinclair, A. J., *et al.*) 8: 1110-1103

Yukon Territory—geomorphology
landform evolution: Evolution of physiography and drainage in southern Yukon (Tempelman-Kluit, D.) 9: 1189-1203

Yukon Territory—paleontology
Aves: Pleistocene loons of the Old Crow Basin, Yukon Territory, Canada (Fitzgerald, G. R.) 11: 1593-1598
Mammalia: Pleistocene peccary, Platygonus compressus Le Conte, from Yukon Territory, Canada (Beebe, B. F.) 9: 1204-1209

Yukon Territory—stratigraphy
Devonian: Devonian corals of late Eifelian age from the Ogilvie Formation of Yukon Territory (Pedder, A. E. H.) 5: 594-616
Ordovician: A cluster analysis interpretation of Middle Ordovician biofacies, southern Mackenzie Mountains (Hayes, B. J. R.) 10: 1377-1388

Yukon Territory—structural geology
tectonics: Zircon ages for the Pelly Gneiss and Klotassin granodiorite in western Yukon (Tempelman-Kluit, D., *et al.*) 3: 297-306

Canadian Journal of Earth Sciences

Journal canadien des sciences de la terre

Volume 17 • 1980

Editor M. E. EVANS **Directeur scientifique**

Assistant to the Editor J. GAETZ **Adjointe au directeur scientifique**

Associate Editors/Directeurs scientifiques associés

L. D. AYRES
M. J. BERRY
W. BLAKE, JR.
W. G. E. CALDWELL
R. B. CAMPBELL
E. D. GHENT
T. N. IRVINE
M. J. KEEN
H. MORRIS
R. A. PRICE
N. RAST
D. A. RUSSELL
D. F. STRONG
R. O. VAN EVERDINGEN
R. G. WALKER

PUBLISHING DEPARTMENT
at the National Research Council of Canada

SERVICE DE PUBLICATION
du Conseil national de recherches du Canada

Editor-in-chief C. T. BISHOP **Directeur général**
Assistant Editor-in-chief P. A. REDHEAD **Directeur général adjoint**
Manager G. H. M. ADAMS **Directrice administrative**
Publishing Supervisor S. E. JENNESS **Préposé de la publication**
Senior Publication Officer F. M. KAVCIC **Agent supérieur à la publication**
Publication Officer R. M. DRYSDALE **Agent à la publication**

Published by the
National Research Council
of Canada

Publié par le
Conseil national de recherches
du Canada

CONTENTS

JANUARY

Instructions to authors iii

Recommandations aux auteurs v

ARTICLES:

P. Verpaelst, C. Brooks, and A. Franconi The 2.5 Ga Duxbury massif, Quebec: a remobilized piece of pre-3.0 Ga sialic basement(?) 1

James T. Teller and Mark M. Fenton Late Wisconsinan glacial stratigraphy and history of southeastern Manitoba 19

David E. Pearson and Stephen Creaney Spontaneous carbonization of oxidized high-volatile coal by a lightning strike 36

L. W. Sobczak and D. G. F. Long Preliminary analysis of a gravity profile across the Bonnet Plume Basin, Yukon Territory, Canada: an aid to coal basin evaluation 43

J. Dumanski, S. Pawluk, C. G. Vucetich, and J. D. Lindsay Pedogenesis and tephrochronology of loess derived soils, Hinton, Alberta 52

Jean-Claude Mareschal and Gordon F. West A model for Archean tectonism. Part 2. Numerical models of vertical tectonism in greenstone belts 60

H. H. Schloessin and J. A. Jacobs Dynamics of a fluid core with inward growing boundaries 72

A. Tessier, P. G. C. Campbell, and M. Bisson Trace metal speciation in the Yamaska and St. François Rivers (Quebec) 90

Francine Martin Quelques Chitinozoaires et Acritarches ordoviciens supérieurs de la Formation de White Head en Gaspésie, Québec 106

Douglas J. Cant Storm-dominated shallow marine sediments of the Arisaig Group (Silurian–Devonian) of Nova Scotia 120

F. J. Longstaffe, T. E. Smith, and K. Muehlenbachs Oxygen isotope evidence for the genesis of Upper Paleozoic granitoids from southwestern Nova Scotia 132

M. Leblanc et J. R. Lancelot Interprétation géodynamique du domaine pan-africain (Précambrien terminal) de l'Anti-Atlas (Maroc) à partir de données géologiques et géochronologiques 142

NOTE:

C. P. Gravenor Chattermarked garnets and heavy minerals from the Late Paleozoic glacial deposits of southeastern Brazil 156

FEBRUARY

ARTICLES:

H. Dragert, L. K. Law, and P. O. Sule Magnetotelluric soundings across the Pemberton Volcanic Belt, British Columbia 161

C. R. Harington Pleistocene mammals from Lost Chicken Creek, Alaska 168

J. E. Muller Chemistry and origin of the Eocene Metchosin Volcanics, Vancouver Island, British Columbia 199

Anupendu Gupta, Aniruddha Basu, and Protip K. Ghosh The Proterozoic ultramafic and mafic lavas and tuffs of the Dalma greenstone belt, Singhbhum, eastern India 210

Philip D. Rice, James M. Hall, and Niel D. Opdyke Deep Drill 1972: a paleomagnetic study of the Bermuda Seamount 232

John Edward Callahan Heavy minerals in stream sediments from Churchill Falls, Labrador—an aid in bedrock mapping 244

Joan D. Willey and Robert A. Fitzgerald Trace metal geochemistry in sediments from the Miramichi estuary, New Brunswick 254

NOTES:
Samuel J. Nelson Possible Early Paleozoic coral, Intermontane Belt, south-central British Columbia 266

Svend Stouge Conodonts from the Davidsville Group, northeastern Newfoundland 268

Robert J. Elias Borings in solitary rugose corals of the Selkirk Member, Red River Formation (late Middle or Upper Ordovician), southern Manitoba 272

Danna Butler, W. Berry Lyons, Jon Hassinger, and Paul A. Mayewski Shallow core snow chemistry of Athabasca Glacier, Alberta 278

DISCUSSIONS:
Peter A. Bull, Steven J. Culver, and Rita Gardner The nature of the Late Paleozoic glaciation in Gondwana as determined from an analysis of garnets and other heavy minerals: Discussion 282

C. P. Gravenor The nature of the Late Paleozoic glaciation in Gondwana as determined from an analysis of garnets and other heavy minerals: Reply 284

D. A. St-Onge The Wisconsinan deglaciation of southern Saskatchewan and adjacent areas: Discussion 287

COMMUNICATION:
Liao Zhuo-ting Brachiopod assemblages from the Upper Permian and Permian–Triassic boundary beds, South China 289

MARCH

Note of Appreciation/Note de reconnaissance i

ARTICLES:
Dirk Tempelman-Kluit and R. K. Wanless Zircon ages for the Pelly Gneiss and Klotassin granodiorite in western Yukon 297

Mark V. H. Wilson Oldest known *Esox* (Pisces: Esocidae), part of a new Paleocene teleost fauna from western Canada 307

C. T. Schafer and P. J. Mudie Spatial variability of foraminifera and pollen in two nearshore sediment sites, St. Georges Bay, Nova Scotia 313

W. K. Fyson Fold fabrics and emplacement of an Archean granitoid pluton, Cleft Lake, Northwest Territories 325

G. E. Ray and R. K. Wanless The age and geological history of the Wollaston, Peter Lake, and Rottenstone domains in northern Saskatchewan 333

A. G. Wintle and D. J. Huntley Thermoluminescence dating of ocean sediments 348

J. Terasmae Some problems of late Wisconsin history and geochronology in southeastern Ontario 361

Richard A. Fortey and David Skevington Correlation of Cambrian–Ordovician boundary between Europe and North America: new data from western Newfoundland 382

E. J. Schwarz, J. E. Muller, and K. R. Clark Paleomagnetism of the Karmutsen basalts from southeast Vancouver Island 389

Ed Landing, Godfrey S. Nowlan, and Terence P. Fletcher A microfauna associated with Early Cambrian trilobites of the *Callavia* Zone, northern Antigonish Highlands, Nova Scotia 400

NOTE:
J. F. Davies and R. E. S. Whitehead Further immobile element data from altered volcanic rocks, Timmins mining area, Ontario 419

APRIL

ARTICLES:
R. P. Taylor, D. F. Strong, and B. F. Kean The Topsails igneous complex: Silurian–Devonian peralkaline magmatism in western Newfoundland 425

Robert F. Legget Glacial geology of Grand Manan Island, New Brunswick 440

John P. Szabo Two pollen diagrams from Quaternary deposits in east-central Iowa, U.S.A. 453

L. E. Jackson, Jr. Glacial history and stratigraphy of the Alberta portion of the Kananaskis Lakes map area 459

J. A. Lyons, D. A. Forsyth, and J. A. Mair Crustal studies in the La Malbaie Region, Quebec 478

J. P. Hodych and A. Hayatsu K–Ar isochron age and paleomagnetism of diabase along the trans-Avalon aeromagnetic lineament—evidence of Late Triassic rifting in Newfoundland 491

Philip J. Currie A new younginid (Reptilia: Eosuchia) from the Upper Permian of Madagascar 500

Paul A. Johnston First record of Mesozoic mammals from Saskatchewan 512

NOTES:

D. W. Cowell and D. C. Ford Hydrochemistry of a dolomite karst: the Bruce Peninsula of Ontario 520

C. Brooks Aphebian overprinting in the Superior Province east of James Bay, Quebec 526

Bernard Auvray, René Charlot et Philippe Vidal Données nouvelles sur le protérozoïque inférieur du domaine nord-armoricain (France): age et signification 532

DISCUSSION:

James T. Teller, Stephen R. Moran, and Lee Clayton The Wisconsinan deglaciation of southern Saskatchewan and adjacent areas: Discussion 539

E. A. Christiansen The Wisconsinan deglaciation of southern Saskatchewan and adjacent areas: Reply 541

Norman L. Hatch, Jr., Philip H. Osberg, Stephen A. Norton, Rolfe S. Stanley, and Alfred H. Chidester The structural and metamorphic history of the Taconic unconformity in western Massachusetts: Discussion 542

MAY

ARTICLES:

L. F. Jansa, J. P. Bujak, and G. L. Williams Upper Triassic salt deposits of the western North Atlantic 547

G. S. Clark and S.-P. Cheung Rubidium–strontium ages from the Oxford Lake – Knee Lake greenstone belt, northern Manitoba 560

Joseph L. Wooden and Alan M. Goodwin A Rb–Sr isotopic study of the Archean rocks of the eastern Lac Seul region, English River subprovince, northwestern Ontario 569

R. P. Riddihough, R. G. Currie, and R. D. Hyndman The Dellwood knolls and their role in triple junction tectonics off northern Vancouver Island 577

A. E. H. Pedder Devonian corals of late Eifelian age from the Ogilvie Formation of Yukon Territory 594

A. G. Green, O. G. Stephenson, G. D. Mann, E. R. Kanasewich, G. L. Cumming, Z. Hajnal, J. A. Mair, and G. F. West Cooperative seismic surveys across the Superior–Churchill boundary zone in southern Canada 617

J. M. Franklin, W. H. McIlwaine, K. H. Poulsen, and R. K. Wanless Stratigraphy and depositional setting of the Sibley Group, Thunder Bay district, Ontario, Canada 633

E. M. Hillary and L. D. Ayres Trondhjemitic basement enclave near the Archean Favourable Lake volcanic complex, northwestern Ontario, Canada 652

NOTES:

T. Rivers Revised stratigraphic nomenclature for Aphebian and other rock units, southern Labrador Trough, Grenville Province 668

H. Baadsgaard and J. F. Lerbekmo A Rb/Sr age for the Cretaceous–Tertiary boundary (Z coal), Hell Creek, Montana 671

Janet B. Waddington A soft substrate community with edrioasteroids, from the Verulam Formation (Middle Ordovician) at Gamebridge, Ontario 674

JUNE

ARTICLES:

George Plafker and Travis Hudson Regional implications of Upper Triassic metavolcanic and metasedimentary rocks on the Chilkat Peninsula, southeastern Alaska 681

D. T. A. Symons, H. I. Hutcheson, and M. Stupavsky Positive test of the paleomagnetic method for estimating burial depth using a dike contact 690

Richard L. Brown and John F. Psutka Structural and stratigraphic setting of the Downie slide, Columbia River valley, British Columbia 698

P. D. Nunes and P. C. Thurston Two hundred and twenty million years of Archean evolution: a zircon U–Pb age stratigraphic study of the Uchi–Confederation Lakes greenstone belt, northwestern Ontario 710

D. R. Parrott, D. J. Dodds, L. H. King, and P. G. Simpkin Measurement and evaluation of the acoustic reflectivity of the sea floor 722

Judith A. Fournier, S. George Pemberton, and Michael J. Risk *Polycylindrichnus*: possible Silurian tunicate burrows from southern Ontario 738

Thomas Clark Petrology of the Turnagain ultramafic complex, northwestern British Columbia 744

C. J. Yorath The Apollo structure in Tofino Basin, Canadian Pacific continental shelf 758

C. Brooks The Rb/Sr geochronology of the Archean Chibougamau pluton, Quebec 776

NOTES:

C. F. Gower, A. B. Ryan, D. G. Bailey, and A. Thomas The position of the Grenville Front in eastern and central Labrador 784

A. J. Wright and P.-A. Bourque Halysitid corals from Silurian and Devonian rocks of Québec 788

ERRATA:

W. E. S. Urquhart and G. F. West Errata: Aeromagnetic anomaly pattern in the English River gneiss belt, Superior Province 796

DISCUSSIONS:

Neville F. Alley Holocene and latest Pleistocene cirque glaciations in the Shuswap Highland, British Columbia: Discussion 797

J. M. Duford and G. D. Osborn Holocene and latest Pleistocene cirque glaciations in the Shuswap Highland, British Columbia: Reply 799

Paul L. Dean and Baxter F. Kean The age of the Roberts Arm Group, north-central Newfoundland: Discussion 800

K. L. Currie and H. H. Bostock The age of the Roberts Arm Group, north-central Newfoundland: Reply 804

JULY

ARTICLES:

P. W. Schmidt Paleomagnetism of igneous rocks from the Belcher Islands, Northwest Territories, Canada 807

N. C. Higgins Fluid inclusion evidence for the transport of tungsten by carbonate complexes in hydrothermal solutions 823

R. H. Fillon and J. C. Duplessy Labrador Sea bio-, tephro-, oxygen isotopic stratigraphy and Late Quaternary paleoceanographic trends 831

Jean Beaulieu, Jean Lajoie et Claude Hubert Provenance et modèle de dépôt de la Formation de la Rivière Nicolet: flysch taconique du Domaine autochtone et du Domaine externe des Appalaches du Québec 855

Janet Watson The origin and history of the Kapuskasing structural zone, Ontario, Canada 866

R. A. Langel, R. L. Coles, and M. A. Mayhew Comparisons of magnetic anomalies of lithospheric origin measured by satellite and airborne magnetometers over western Canada 876

G. A. Jenner and B. J. Fryer Geochemistry of the upper Snooks Arm Group basalts, Burlington Peninsula, Newfoundland: evidence against formation in an island arc 888

R. P. Taylor and B. J. Fryer Multiple-stage hydrothermal alteration in porphyry copper systems in northern Turkey: the temporal interplay of potassic, propylitic, and phyllic fluids 901

Hervé Martin Comportement de quelques elements en traces au cours de l'anatexie: exemple du Massif de Saint-Malo (Bretagne, France) 927

J. Welsted and H. R. Young Geology and origin of the Brandon Hills, southwest Manitoba 942

DISCUSSIONS:

K. U. Weyer and J. A. Vonhof The effects of surface mining of coal on water quality near Grande Cache, Alberta: Discussion 952

D. A. Hackbarth The effects of surface mining of coal on water quality near Grande Cache. Alberta: Reply 955

Erhard M. Winkler Selective weathering of granitic clasts: Discussion 956

R. A. Howie, I. M. Simpson, and G. S. Simpson The nature of the Late Paleozoic glaciation in Gondwana as determined from an analysis of garnets and other heavy minerals: Discussion 957

C. P. Gravenor The nature of the Late Paleozoic glaciation in Gondwana as determined from an analysis of garnets and other heavy minerals: Reply 958

AUGUST

ARTICLES:

M. J. Drury and E. R. Niblett Buried ocean crust and continental crust geomagnetic induction anomalies: a possible association 961

W. C. Brisbin and A. G. Green Gravity model of the Aulneau batholith, northwestern Ontario 968

E. Pelletier et J. Lebel L'alcalinité totale comme indicateur de mélange dans un milieu estuarien 978

Robert G. Berman and Richard Lee Armstrong Geology of the Coquihalla Volcanic Complex, southwestern British Columbia 985

J. Ross Mackay **The origin of hummocks, western Arctic coast, Canada** 996

Colin F. Klappa, Paul R. Opalinski, and Noel P. James Middle Ordovician Table Head Group of western Newfoundland: a revised stratigraphy 1007

G. F. Margrave and E. Nyland Strain from repeated geodetic surveys by generalized inverse methods 1020

J. Utting Palynology of the Windsor Group (Mississippian) in the borehole at Stewiacke, Shubenacadie Basin, Nova Scotia 1031

Fred J. Longstaff, Robert H. McNutt, and Henry P. Schwarcz Geochemistry of Archean metaigneous rocks, Lake Despair area, Wabigoon Subprovince, northwestern Ontario 1046

Ronald W. May, A. Dreimanis, and W. Stankowski Quantitative evaluation of clast fabrics within the Catfish Creek Till, Bradtville, Ontario 1064

A. C. Lenz Wenlockian graptolite reference section, Clearwater Creek, Nahanni National Park, Northwest Territories, Canada 1075

J. Terasmae and H. L. Matthews Late Wisconsin white spruce (*Picea glauca* (Moench) Voss) at Brampton, Ontario 1087

NOTES:

Peter H. von Bitter and Hilary A. Plint-Geberl Phillipsite altered to analcime in basal Windsor [shallow-water marine] carbonates of Mississippian age in Nova Scotia 1096

A. J. Sinclair, O. J. Tessari, and J. E. Harakal Age of Ag–Pb–Zn mineralization, Keno Hill – Galena Hill area, Yukon Territory 1100

Kenneth L. Gardner Impregnation technique using colored epoxy to define porosity in petrographic thin sections 1104

DISCUSSIONS:

A. E. Beck Heat flow measurements under some lakes in the Superior Province of the Canadian Shield: Discussion 1108

R. G. Allis and G. D. Garland Heat flow measurements under some lakes in the Superior Province of the Canadian Shield: Reply 1110

P. L. McFadden Simple graphical methods for estimating the confidence region about the orientation of the intersection of two planes: Discussion 1111

D. Kelker and D. Cruden Simple graphical methods for estimating the confidence region about the orientation of the intersection of two planes: Reply 1113

T. J. Lewis Determination of radioactive disequilibrium in uranium-bearing rocks: Discussion 1114

I. M. Szöghy and L. Kish Determination of radioactive disequilibrium in uranium-bearing rocks: Reply 1116

A. M. McCaig and W. R. Church The dynamothermal aureole of the Bay of Islands ophiolite suite: Discussion 1119

John A. Westgate Pedogenesis and tephrochronology of loess derived soils, Hinton, Alberta: Discussion 1122

A. B. Uzuakpunwa and Arthur H. Brownlow The structural and metamorphic history of the Taconic unconformity in western Massachusetts: Reply 1122

SEPTEMBER

ARTICLES:

W. Douglas Stewart and Roger G. Walker Eolian coastal dune deposits and surrounding marine sandstones, Rocky Mountain Supergroup (Lower Pennsylvanian), southeastern British Columbia 1125

A. G. Green Delineation of geologic contacts by seismic refraction with application to the fault zone between the Thompson nickel belt and the Churchill Tectonic Province 1141

T. W. Anderson Holocene vegetation and climatic history of Prince Edward Island, Canada 1152

Robert H. Horodyski, J. Allan Donaldson, and Charles Kerans A new shale-facies microbiota from the Middle Proterozoic Dismal Lakes Group, District of Mackenzie, Northwest Territories, Canada 1166

Roger LeB. Hooke, E. Calvin Alexander, Jr., and Robert J. Gustafson Temperature profiles in the Barnes Ice Cap, Baffin Island, Canada, and heat flux from the subglacial terrane 1174

Dirk Tempelman-Kluit Evolution of physiography and drainage in southern Yukon 1189

B. F. Beebe Pleistocene peccary, *Platygonus compressus* Le Conte, from Yukon Territory, Canada 1204

R. W. Yole and E. Irving Displacement of Vancouver Island: paleomagnetic evidence from the Karmutsen Formation 1210

Glenn W. Berger and Derek York Reinterpretation of the North American apparent polar wander curve for the interval 800–1500 Ma 1229

M. Hayward and H. M. French Pleistocene marine kettle-fill deposits near Ottawa, Canada 1236

J. B. Whalen Geology and geochemistry of the molybdenite showings of the Ackley City batholith, southeast Newfoundland 1246

R. K. Pickerill Phanerozoic flysch trace fossil diversity—observations based on an Odovician flysch ichnofauna from the Aroostook – Matapedia Carbonate Belt of northern New Brunswick 1259

P. F. Karrow The Nipissing transgression around southern Lake Huron 1271

David J. Dunlop and Murray B. Zinn Archeomagnetism of a 19th century pottery kiln near Jordan, Ontario 1275

A. K. Goodacre and H. S. Hasegawa Gravitationally induced stresses at structural boundaries 1286

I. E. M. Smith Geochemical evolution in the Blake River Group, Abitibi Greenstone Belt, Superior Province 1292

J. V. Simmons and D. M. Cruden A rock labyrinth in the Front Ranges of the Rockies, Alberta 1300

NOTES:

Denis A. St-Onge Glacial Lake Coppermine, north-central District of Mackenzie, Northwest Territories 1310

K. Rajeshwar, J. DuBow, and R. Thapar Radiofrequency electrical properties of Green River oil shales 1315

OCTOBER

ARTICLES:

P. Sanborn and S. Pawluk An early Holocene Solodic paleosol near Priddis, Alberta 1323

C. P. Gravenor Heavy minerals and sedimentological studies on the glaciogenic Late Precambrian Gaskiers Formation of Newfoundland 1331

K. L. Currie A modified norm calculation 1342

H. J. Hofmann, D. A. B. Pearson, and B. H. Wilson Stromatolites and fenestral fabric in Early Proterozoic Huronian Supergroup, Ontario 1351

K. Howard Poulsen, Graham J. Borradaile, and Manfred M. Kehlenbeck An inverted Archean succession at Rainy Lake, Ontario 1358

J. A. Wright, A. M. Jessop, A. S. Judge, and T. J. Lewis Geothermal measurements in Newfoundland 1370

Brad J. R. Hayes A cluster analysis interpretation of Middle Ordovician biofacies, southern Mackenzie Mountains 1377

M. E. Evans, G. S. Hoye, and D. K. Bingham The paleomagnetism of the Great Slave Supergroup: the Akaitcho River Formation 1389

Derald G. Smith and Peter E. Putnam Anastomosed river deposits: modern and ancient examples in Alberta, Canada 1396

William J. Olszewski, Jr. The geochronology of some stratified metamorphic rocks in northeastern Massachusetts 1407

V. S. Papezik and J. P. Hodych Early Mesozoic diabase dikes of the Avalon Peninsula, Newfoundland: Petrochemistry, mineralogy, and origin 1417

NOTE:

Samuel J. Nelson and Thomas E. Bolton *Macgowanella* gen. nov., possible bryozoan holdfasts, Mississippian of southern Canadian Rocky Mountains, Alberta 1431

DISCUSSION:

Gustavo Gonzalez-Bonorino The dynamothermal aureole of the Bay of Islands ophiolite suite: Discussion 1436

NOVEMBER

ARTICLES:

Nelson R. Gadd Late-glacial regional ice-flow patterns in eastern Ontario 1439

Rolf W. Mathewes and John A. Westgate Bridge River tephra: revised distribution and significance for detecting old carbon errors in radiocarbon dates of limnic sediments in southern British Columbia 1454

C. M. Tucker and S. B. McCann Quaternary events on the Burin Peninsula, Newfoundland, and the islands of St. Pierre and Miquelon, France 1462

Richard C. Fox Mammals from the Upper Cretaceous Oldman Formation, Alberta. IV. *Meniscoessus* Cope (Multituberculata) 1480

Richard C. Fox *Picopsis pattersoni*, n. gen. and sp., an unusual therian from the Upper Cretaceous of Alberta, and the classification of primitive tribosphenic mammals 1489

G. Ranalli Rheological properties of the upper mantle in Canada from olivine microrheology 1499

R. A. Gibb and M. D. Thomas Correlation of gravity anomalies with Yellowknife Supergroup rocks, North Arm, Great Slave Lake 1506

Kate Kranck Experiments on the significance of flocculation in the settling of fine-grained sediment in still water 1517

James H. Stout and Clement G. Chase Plate kinematics of the Denali fault system 1527

A. Lesquer et A. Moussine-Pouchkine Les anomalies gravimétriques de la boucle du Niger. Leur signification dans le cadre de l'orogenèse panafricaine 1538

Bertrand Sichler, Jean-Louis Olivet, Jean-Marie Auzende, Hélène Jonquet, Jean Bonnin, and Alain Bonifay Mobility of Morocco 1546

Maarten J. de Wit Structural and metamorphic relationships of pre-Fleur de Lys and Fleur de Lys rocks of the Baie Verte Peninsula, Newfoundland 1559

Karen Stamatelopoulou-Seymour and Donald M. Francis An Archean ultramafic turbidite from Lac Guyer, James Bay area, Quebec, Canada 1576

NOTES:

Robert Ressetar and David L. Martin Paleomagnetism of Eocene igneous intrusions in the Valley and Ridge Province, Virginia and West Virginia 1583

Alan McGugan and Harrell L. Strimple *Pelecocrinus* sp. cf. *P. banffensis* Laudon, Parks, and Spreng, from the Banff Formation (Lower Mississippian), Kananaskis Valley, Alberta, Canada 1588

G. L. Cumming Lead isochron dating of the Seton Formation, East Arm of Great Slave Lake, Northwest Territories 1591

Gerald R. Fitzgerald Pleistocene loons of the Old Crow Basin, Yukon Territory, Canada 1593

DISCUSSIONS:

W. S. McKerrow and L. R. M. Cocks Conodonts from the Davidsville Group, northeastern Newfoundland: Discussion 1599

Svend Stouge Conodonts from the Davidsville Group, northeastern Newfoundland: Reply 1600

DECEMBER

ARTICLES:

Paul L. Smith Correlation of the members of the Jurassic Snowshoe Formation in the Izee basin of east-central Oregon **1603**

Noel P. James and François Debrenne First regular archaeocyaths from the northern Appalachians, Forteau Formation, western Newfoundland **1609**

David R. Kobluk Upper Ordovician (Richmondian) cavity-dwelling (coelobiontic) organisms from southern Ontario **1616**

Joseph J. Lambiase Sediment dynamics in the microtidal Avon River estuary, Bay of Fundy, Nova Scotia **1628**

Jon M. DeLaurier, E. R. Niblett, F. Plet, and P. A. Camfield Geomagnetic depth sounding over the central Arctic Islands, Canada **1642**

Dennis V. Kent and Neil D. Opdyke Paleomagnetism of Siluro-Devonian rocks from eastern Maine **1653**

Steven Lonker Conditions of metamorphism in high-grade pelitic gneisses from the Frontenac Axis, Ontario, Canada **1666**

John M. Moore, Jr. and Peter H. Thompson The Flinton Group: a late Precambrian metasedimentary succession in the Grenville Province of eastern Ontario **1685**

T. P. Poulton and P. S. Simony Stratigraphy, sedimentology, and regional correlation of the Horsethief Creek Group (Hadrynian, Late Precambrian) in the northern Purcell and Selkirk Mountains, British Columbia **1708**

Emlyn H. Koster, Brian R. Rust, and Don J. Gendzwill The ellipsoidal form of clasts with practical applications to fabric and size analyses of fluvial gravels **1725**

NOTES:

J. M. Wark and D. B. Clarke Geochemical discriminators and the palaeotectonic environment of the North Mountain basalts, Nova Scotia **1740**

R. W. Durham and S. R. Joshi The ^{210}Pb and ^{137}Cs profiles in sediment cores from Lake Matagami and Quevillon, northwest Quebec, Canada **1746**

Author Index for Volume 17/Index des auteurs pour volume 17 **AI-1**

Subject Index for Volume 17/Index des matières pour volume 17 **SI-1**

Contents for Volume 17/Sommaire pour volume 17 **v**